



Garden Lights

DEIMOS ANTHRACITE

WALL LIGHT - 12 VOLT

Article number : 3095011
EAN code : 5907800850680
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Anthracite
Cable : 3 m. SPT-1W

Length : 140 mm
Width : 80 mm
Height : 140 mm

IP class : IP44
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : Module 7 LEDs 1W
Replaceable : Yes (1078101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1 W
Lumen output : 39 lm
Light colour (CCT) : 6.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source

Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
Width : 145 mm
Height : 130 mm
Weight : 0,6 kg

MASTER CARTON

Nr. of products : 8
Length : 305 mm
Width : 305 mm
Height : 285 mm
Weight : 5,1 kg



TECHMAR

www.techmar.nl



Garden Lights

DEIMOS BLACK

WALL LIGHT - 12 VOLT

Article number : 3132011
EAN code : 5907800854527
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Black
Cable : 3 m. SPT-1W

Length : 140 mm
Width : 80 mm
Height : 140 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : Module 7 LEDs 1W
Replaceable : Yes (1079101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1 W
Lumen output : 30 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
Width : 145 mm
Height : 130 mm
Weight : 0,6 kg

MASTER CARTON

Nr. of products : 8
Length : 305 mm
Width : 305 mm
Height : 285 mm
Weight : 5,1 kg



TECHMAR

www.techmar.nl



Garden Lights

HALO

WALL LIGHT - 12 VOLT

Article number : 3075061
EAN code : 5907658372860
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Anthracite
Cable : 3 m. SPT-1W

Length : 100 mm
Width : 50 mm
Height : 100 mm

IP class : IP44
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base	☐ Ground spike
☒ Hexagon wrench	☐ Transformer
☒ Fasteners Screws and plugs	☐ Main cable

LIGHT SOURCE

Type : Module 16 LEDs 2W
Replaceable : Yes (1070101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 40 lm - 47 lm
Light colour (CCT) : 3.000 K - 6.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source
Possible light sources with
energy class

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
Width : 115 mm
Height : 130 mm
Weight : 0,7 kg

MASTER CARTON

Nr. of products : 18
Length : 450 mm
Width : 360 mm
Height : 285 mm
Weight : 13,6 kg



TECHMAR

www.techmar.nl



Garden Lights

LOTUS

WALL LIGHT - 12 VOLT

Article number : 4013601
EAN code : 5907800850864
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 2 m. SPT-1W

Length : 70 mm
Width : 35 mm
Height : 70 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : Module 4 LEDs 1W
Replaceable : Yes (1088101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1 W
Lumen output : 15 lm
Light colour (CCT) : 6.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source –
Possible light sources with energy class –

PACKAGING DETAILS

SINGLE BOX

Length : 95 mm
Width : 95 mm
Height : 95 mm
Weight : 0,2 kg

MASTER CARTON

Nr. of products : 32
Length : 400 mm
Width : 400 mm
Height : 215 mm
Weight : 8,3 kg



TECHMAR

www.techmar.nl



Garden Lights

PALM

WALL LIGHT - 12 VOLT

Article number : 2585061
EAN code : 5907800856446
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 3 m. SPT-1W

Length : 100 mm
Width : 60 mm
Height : 100 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : Module 3 LEDs 1W
Replaceable : Yes (1167101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1 W
Lumen output : 35 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 105 mm
Width : 70 mm
Height : 128 mm
Weight : 0,32 kg

MASTER CARTON

Nr. of products : 16
Length : 230 mm
Width : 300 mm
Height : 285 mm
Weight : 5,0 kg



TECHMAR

www.techmar.nl



Garden Lights

ECLIPS

WALL LIGHT - 12 VOLT

Article number : 2586011
EAN code : 5907800857207
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Plastic
Colour : Black
Cable : 3 m. SPT-1W

Length : 180 mm
Width : 38 mm
Height : 180 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : Module 12 LEDs 3W
Replaceable : Yes (1308011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 130 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 200 mm
Width : 130 mm
Height : 160 mm
Weight : 0,43 kg

MASTER CARTON

Nr. of products : 12
Length : 415 mm
Width : 410 mm
Height : 345 mm
Weight : 6,0 kg



TECHMAR

www.techmar.nl



Garden Lights

AURORA

WALL LIGHT - 12 VOLT

Article number : 4120601
EAN code : 5907800857054
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 1 m. SPT-1W

Length : 27 mm
Width : 100 mm
Height : 100 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : Module 12 LEDs 3W
Replaceable : Yes (1308011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 130 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 105 mm
Width : 60 mm
Height : 128 mm
Weight : 0,24 kg

MASTER CARTON

Nr. of products : 32
Length : 445 mm
Width : 265 mm
Height : 285 mm
Weight : 8,5 kg



TECHMAR

www.techmar.nl



Garden Lights

LUNAR

WALL LIGHT - 12 VOLT

Article number : 4127601
 EAN code : 5907800857665
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
 Colour : Black
 Cable : 3 m. SPT-1W
 Length : 185 mm
 Width : 180 mm
 Height : 200 mm

IP class : IP44
 Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
 Screws and plugs

LIGHT SOURCE

Type : G4 Power LED 2W
 Replaceable : Yes (6159011)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 2 W
 Lumen output : 64 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source
 Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 200 mm
 Width : 160 mm
 Height : 160 mm
 Weight : 0,48 kg

MASTER CARTON

Nr. of products : 8
 Length : 415 mm
 Width : 335 mm
 Height : 345 mm
 Weight : 4,5 kg



TECHMAR

www.techmar.nl



Garden Lights

OLYMPIA

WALL LIGHT - 12 VOLT

Article number : 3074061
EAN code : 5907658372785
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Anthracite
Cable : 3 m. SPT-1W

Length : 80 mm
Width : 120 mm
Height : 320 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : Module 16 LEDs 2W
Replaceable : Yes (1070101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 47 lm
Light colour (CCT) : 6.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 130 mm
Width : 60 mm
Height : 325 mm
Weight : 0,6 kg

MASTER CARTON

Nr. of products : 9
Length : 405 mm
Width : 195 mm
Height : 345 mm
Weight : 6,3 kg



TECHMAR

www.techmar.nl



Garden Lights

CALLISTO

WALL LIGHT - 12 VOLT

Article number : 3094071
EAN code : 5907800850659
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Rusty brown
Cable : 3 m. SPT-1W

Length : 170 mm
Width : 120 mm
Height : 240 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : G4 LED 1.5W
Replaceable : Yes (6204451)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1,5 W
Lumen output : 90 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 190 mm
Width : 170 mm
Height : 260 mm
Weight : 0,8 kg

MASTER CARTON

Nr. of products : 4
Length : 395 mm
Width : 355 mm
Height : 280 mm
Weight : 3,8 kg



TECHMAR

www.techmar.nl



Garden Lights

ETU

SPOT LIGHT - 12 VOLT

Article number : 3168191
EAN code : 5907800856729
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Dark grey
Cable : 3 m. SPT-1W

Length : 95 mm
Width : 65 mm
Height : 115 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base	☒ Ground spike
☐ Hexagon wrench	☐ Transformer
☒ Fasteners Screws and plugs	☐ Main cable

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)

Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with
energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 200 mm
Width : 95 mm
Height : 190 mm
Weight : 0,5 kg

MASTER CARTON

Nr. of products : 16
Length : 415 mm
Width : 400 mm
Height : 405 mm
Weight : 12,9 kg



TECHMAR

www.techmar.nl



Garden Lights

NANO

SPOT LIGHT - 12 VOLT

Article number : 3169191
EAN code : 5907800856736
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Dark grey
Cable : 3 m. SPT-1W

Length : 85 mm
Width : 50 mm
Height : 105 mm

IP class : IP44
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : MR11 2 LEDs 2W
Replaceable : Yes (6215011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 120 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source
Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 170 mm
Width : 95 mm
Height : 130 mm
Weight : 0,4 kg


MASTER CARTON

Nr. of products : 16
Length : 400 mm
Width : 355 mm
Height : 285 mm
Weight : 9,7 kg



TECHMAR

www.techmar.nl



Garden Lights

NEPOS

POST LIGHT - 12 VOLT

Article number : 3579401
EAN code : 5907800856019
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Polysresin
Colour : Stone-effect white
Cable : 2 m. SPT-1W

Length : 110 mm
Width : 110 mm
Height : 440 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 245 mm
Width : 145 mm
Height : 260 mm
Weight : 5,4 kg

MASTER CARTON

Nr. of products : 3
Length : 455 mm
Width : 260 mm
Height : 280 mm
Weight : 14,2 kg



TECHMAR

www.techmar.nl



Garden Lights

TITAN

POST LIGHT - 12 VOLT

Article number : 3580401
EAN code : 5907800856224
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Polyresin
Colour : Stone-effect white
Cable : 2 m. SPT-1W

Length : 110 mm
Width : 110 mm
Height : 600 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 260 mm
Width : 155 mm
Height : 560 mm
Weight : 7,2 kg

MASTER CARTON

Nr. of products : 2
Length : 332 mm
Width : 280 mm
Height : 588 mm
Weight : 13,7 kg



TECHMAR

www.techmar.nl



Garden Lights

PHOBOS

POST LIGHT - 12 VOLT

Article number : 3538461
EAN code : 5907658372556
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Polyresin
Colour : Stone-effect anthracite
Cable : 2 m. SPT-1W

Length : 110 mm
Width : 110 mm
Height : 400 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : MR16 20 LEDs 2W
Replaceable : Yes (6022101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 88 lm
Light colour (CCT) : 6.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 

Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 295 mm
Width : 155 mm
Height : 260 mm
Weight : 5,1 kg

MASTER CARTON

Nr. of products : 3
Length : 495 mm
Width : 312 mm
Height : 285 mm
Weight : 15,5 kg



TECHMAR

www.techmar.nl



Garden Lights

KOLOSSOS

POST LIGHT - 12 VOLT

Article number : 3544461
EAN code : 5907800850123
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Polyresin
Colour : Stone-effect anthracite
Cable : 2 m. SPT-1W

Length : 110 mm
Width : 110 mm
Height : 600 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : MR16 20 LEDs 2W
Replaceable : Yes (6022101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 88 lm
Light colour (CCT) : 6.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 260 mm
Width : 155 mm
Height : 560 mm
Weight : 7,2 kg

MASTER CARTON

Nr. of products : 2
Length : 332 mm
Width : 280 mm
Height : 588 mm
Weight : 12,6 kg



TECHMAR

www.techmar.nl



Garden Lights

ELAN

POST LIGHT - 12 VOLT

Article number : 3167191
EAN code : 5907800856712
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Dark grey
Cable : 2 m. H05RN-F

Length : 165 mm
Width : 65 mm
Height : 705 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 190 mm
Width : 125 mm
Height : 780 mm
Weight : 3,9 kg

MASTER CARTON

Nr. of products : 2
Length : 400 mm
Width : 145 mm
Height : 795 mm
Weight : 9,0 kg



TECHMAR

www.techmar.nl



Garden Lights

RUMEX

POST LIGHT - 12 VOLT

Article number : 3134171
EAN code : 5907800854596
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Anthracite
Cable : 2 m. SPT-1W

Length : 140 mm
Width : 140 mm
Height : 380 mm

IP class : IP44
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : G4 LED 1.5W
Replaceable : Yes (6204451)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1,5 W
Lumen output : 90 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source
Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 170 mm
Width : 145 mm
Height : 325 mm
Weight : 1,6 kg

MASTER CARTON

Nr. of products : 8
Length : 355 mm
Width : 600 mm
Height : 347 mm
Weight : 14,5 kg



TECHMAR

www.techmar.nl



Garden Lights

VITEX

POST LIGHT - 12 VOLT

Article number : 3135171
EAN code : 5907800854602
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Silver grey
Cable : 2 m. SPT-1W

Length : 100 mm
Width : 100 mm
Height : 365 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : G4 LED 1.5W
Replaceable : Yes (6204451)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1,5 W
Lumen output : 90 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
Width : 115 mm
Height : 325 mm
Weight : 1,3 kg

MASTER CARTON

Nr. of products : 6
Length : 305 mm
Width : 363 mm
Height : 347 mm
Weight : 8,1 kg



TECHMAR

www.techmar.nl



Garden Lights

HELIX

POST LIGHT - 12 VOLT

Article number : 3153051
EAN code : 5907800856378
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Silver grey
Cable : 2 m. SPT-1W

Length : 100 mm
Width : 100 mm
Height : 365 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : G4 LED 1.5W
Replaceable : Yes (6204451)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1,5 W
Lumen output : 90 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
Width : 115 mm
Height : 325 mm
Weight : 1,0 kg

MASTER CARTON

Nr. of products : 6
Length : 363 mm
Width : 305 mm
Height : 347 mm
Weight : 6,8 kg



TECHMAR

www.techmar.nl



Garden Lights

IBERUS

POST LIGHT - 12 VOLT

Article number : 3166061
EAN code : 5907800856644
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Anthracite
Cable : 2 m. SPT-1W

Length : 100 mm
Width : 100 mm
Height : 360 mm

IP class : IP44
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source
Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 130 mm
Width : 130 mm
Height : 460 mm
Weight : 2,2 kg

MASTER CARTON

Nr. of products : 6
Length : 410 mm
Width : 275 mm
Height : 485 mm
Weight : 13,8 kg



TECHMAR

www.techmar.nl



Garden Lights

LILIUM

POST LIGHT - 12 VOLT

Article number : 3136171
EAN code : 5907800854619
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Silver grey
Cable : 2 m. SPT-1W

Length : 100 mm
Width : 100 mm
Height : 170 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 130 mm
Width : 130 mm
Height : 230 mm
Weight : 1,5 kg

MASTER CARTON

Nr. of products : 6
Length : 275 mm
Width : 410 mm
Height : 255 mm
Weight : 9,0 kg



TECHMAR

www.techmar.nl



Garden Lights

ARCO 40

POST LIGHT - 12 VOLT

Article number : 3161011
EAN code : 5907800856460
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Black
Cable : 1 m. H05RN-F

Length : 65 mm
Width : 65 mm
Height : 405 mm

IP class : IP44
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source
Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 90 mm
Width : 90 mm
Height : 460 mm
Weight : 1,3 kg

MASTER CARTON

Nr. of products : 16
Length : 380 mm
Width : 380 mm
Height : 480 mm
Weight : 24,0 kg



TECHMAR

www.techmar.nl



Garden Lights

ARCO 60

POST LIGHT - 12 VOLT

Article number : 3160011
EAN code : 5907800856453
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Black
Cable : 1 m. H05RN-F

Length : 65 mm
Width : 65 mm
Height : 575 mm

IP class : IP44
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source
Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 140 mm
Width : 90 mm
Height : 560 mm
Weight : 1,4 kg

MASTER CARTON

Nr. of products : 8
Length : 380 mm
Width : 295 mm
Height : 580 mm
Weight : 15,5 kg



TECHMAR

www.techmar.nl



Garden Lights

ALBUS

POST LIGHT - 12 VOLT

Article number : 4024601
EAN code : 5907800850703
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 2 m. SPT-1W

Length : 60 mm
Width : 60 mm
Height : 410 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : LED Cylinder 2W
Replaceable : Yes (6206431)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 120 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 90 mm
Width : 90 mm
Height : 460 mm
Weight : 0,8 kg

MASTER CARTON

Nr. of products : 16
Length : 380 mm
Width : 380 mm
Height : 480 mm
Weight : 11,9 kg



TECHMAR

www.techmar.nl



Garden Lights

ATILA

POST LIGHT - 12 VOLT

Article number : 4025601
EAN code : 5907800850826
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 2 m. SPT-1W

Length : 60 mm
Width : 60 mm
Height : 610 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : LED Cylinder 2W
Replaceable : Yes (6206431)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 120 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 140 mm
Width : 90 mm
Height : 560 mm
Weight : 1,0 kg

MASTER CARTON

Nr. of products : 8
Length : 380 mm
Width : 295 mm
Height : 580 mm
Weight : 8,7 kg



TECHMAR

www.techmar.nl



Garden Lights

ORION

POST LIGHT - 12 VOLT

Article number : 4012601
EAN code : 5907658372662
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 2 m. SPT-1W

Length : 60 mm
Width : 60 mm
Height : 410 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : LED Cylinder 2W
Replaceable : Yes (6207431)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 130 lm
Light colour (CCT) : 6.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 90 mm
Width : 90 mm
Height : 460 mm
Weight : 0,8 kg

MASTER CARTON

Nr. of products : 12
Length : 378 mm
Width : 286 mm
Height : 485 mm
Weight : 10,5 kg



TECHMAR

www.techmar.nl



Garden Lights

ARGOS

POST LIGHT - 12 VOLT

Article number : 4026601
EAN code : 5907800850840
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 2 m. SPT-1W

Length : 60 mm
Width : 60 mm
Height : 590 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : LED Cylinder 2W
Replaceable : Yes (6207431)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 130 lm
Light colour (CCT) : 6.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 140 mm
Width : 90 mm
Height : 560 mm
Weight : 1,0 kg

MASTER CARTON

Nr. of products : 8
Length : 380 mm
Width : 295 mm
Height : 580 mm
Weight : 9,7 kg



TECHMAR

www.techmar.nl



Garden Lights

EUROPA

POST LIGHT - 12 VOLT

Article number : 4123601
EAN code : 5907800857214
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Black
Cable : 1 m. SPT-1W

Length : 180 mm
Width : 180 mm
Height : 400 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : G4 Power LED 2W
Replaceable : Yes (6161011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 64 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 200 mm
Width : 120 mm
Height : 320 mm
Weight : 0,59 kg

MASTER CARTON

Nr. of products : 6
Length : 415 mm
Width : 380 mm
Height : 345 mm
Weight : 4,5 kg



TECHMAR

www.techmar.nl



Garden Lights

OAK SET

POST LIGHT - 12 VOLT

Article number : 4122603
 EAN code : 5907800856439
 HS code : 94054091
 Number of lights : 3
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
 Colour : Stainless steel
 Cable : 1 m. SPT-1W

Length : 48 mm
 Width : 48 mm
 Height : 200 mm

IP class : IP44
 Protection class : III

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☒ Transformer
 12V - max. 12W EU / 22W BS
☒ Fasteners ☒ Main cable
 Screws and plugs 8 m. SPT-1W
 4 connectors

LIGHT SOURCE

Type : Module 3 LEDs 1W
 Replaceable : Yes (1167101)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 1 W
 Lumen output : 35 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source 
 Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
 Width : 115 mm
 Height : 260 mm
 Weight : 1,37 kg

MASTER CARTON

Nr. of products : 6
 Length : 310 mm
 Width : 365 mm
 Height : 285 mm
 Weight : 8,0 kg



TECHMAR

www.techmar.nl



Garden Lights

LOCOS

POST LIGHT - 12 VOLT

Article number : 3072071
EAN code : 5907800850529
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Rusty brown
Cable : 2 m. SPT-1W

Length : 120 mm
Width : 120 mm
Height : 530 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : G4 LED 1.5W
Replaceable : Yes (6204451)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1,5 W
Lumen output : 90 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 170 mm
Width : 170 mm
Height : 325 mm
Weight : 0,9 kg

MASTER CARTON

Nr. of products : 4
Length : 355 mm
Width : 355 mm
Height : 345 mm
Weight : 4,2 kg



TECHMAR

www.techmar.nl



Garden Lights

LAURUS

POST LIGHT - 12 VOLT

Article number : 2573061
EAN code : 5907800856392
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : ABS
Colour : Anthracite
Cable : 1,5 m. SPT-1W

Length : 120 mm
Width : 120 mm
Height : 365 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base	☒ Ground spike
☐ Hexagon wrench	☐ Transformer
☒ Fasteners Screws and plugs	☐ Main cable

LIGHT SOURCE

Type : T10/15 LED 1.5W
Replaceable : Yes (6208451)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1,5 W
Lumen output : 90 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with
energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
Width : 125 mm
Height : 260 mm
Weight : 0,45 kg

MASTER CARTON

Nr. of products : 12
Length : 600 mm
Width : 400 mm
Height : 285 mm
Weight : 7,0 kg



TECHMAR

www.techmar.nl



Garden Lights

LARIX

POST LIGHT - 12 VOLT

Article number : 2572061
EAN code : 5907800856385
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : ABS
Colour : Anthracite
Cable : 1,5 m. SPT-1W

Length : 100 mm
Width : 100 mm
Height : 315 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : T10/15 LED 1.5W
Replaceable : Yes (6208451)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1,5 W
Lumen output : 90 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
Width : 125 mm
Height : 260 mm
Weight : 0,46 kg

MASTER CARTON

Nr. of products : 12
Length : 600 mm
Width : 400 mm
Height : 285 mm
Weight : 7,0 kg



TECHMAR

www.techmar.nl



Garden Lights

LINUM

POST LIGHT - 12 VOLT

Article number : 2519061
EAN code : 5907800851663
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : PP
Colour : Anthracite
Cable : 1,5 m. SPT-1W

Length : 60 mm
Width : 60 mm
Height : 160 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base	☒ Ground spike
☐ Hexagon wrench	☐ Transformer
☒ Fasteners Screws and plugs	☐ Main cable

LIGHT SOURCE

Type : Module 12 LEDs 2W
Replaceable : Yes (1068101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 43 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with
energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 95 mm
Width : 75 mm
Height : 195 mm
Weight : 0,33 kg

MASTER CARTON

Nr. of products : 20
Length : 410 mm
Width : 410 mm
Height : 220 mm
Weight : 7,0 kg



TECHMAR

www.techmar.nl



Garden Lights

FOCUS

SPOT LIGHT - 12 VOLT

Article number : 3151011
EAN code : 5907800855975
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Black
Cable : 2 m. SPT-1W

Length : 150 mm
Width : 80 mm
Height : 180 mm

IP class : IP44
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base	☒ Ground spike
☐ Hexagon wrench	☐ Transformer
☒ Fasteners Screws and plugs	☐ Main cable

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source
Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 170 mm
Width : 95 mm
Height : 130 mm
Weight : 0,6 kg

MASTER CARTON

Nr. of products : 12
Length : 355 mm
Width : 300 mm
Height : 285 mm
Weight : 7,7 kg



TECHMAR

www.techmar.nl



Garden Lights

CORVUS 5W

SPOT LIGHT - 12 VOLT

Article number : 3154011
 EAN code : 5907800857290
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
 Colour : Black
 Cable : 2 m. SPT-1W
 Length : 135 mm
 Width : 89 mm
 Height : 190 mm

IP class : IP44
 Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
 Screws and plugs

LIGHT SOURCE

Type : MR16 5 LEDs 5W
 Replaceable : Yes (6194011)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 5 W
 Lumen output : 320 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source
 Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 170 mm
 Width : 95 mm
 Height : 130 mm
 Weight : 0,6 kg

MASTER CARTON

Nr. of products : 12
 Length : 355 mm
 Width : 300 mm
 Height : 282 mm
 Weight : 8,2 kg



TECHMAR

www.techmar.nl



Garden Lights

ARCUS

SPOT LIGHT - 12 VOLT

Article number : 3164011
 EAN code : 5907800856613
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
 Colour : Black
 Cable : 1 m. H05RN-F

Length : 60 mm
 Width : 110 mm
 Height : 120 mm

IP class : IP44
 Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
 Screws and plugs

LIGHT SOURCE

Type : MR16 5 LEDs 5W
 Replaceable : Yes (6194011)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 5 W
 Lumen output : 320 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source 
 Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 170 mm
 Width : 120 mm
 Height : 130 mm
 Weight : 0,64 kg

MASTER CARTON

Nr. of products : 12
 Length : 360 mm
 Width : 380 mm
 Height : 290 mm
 Weight : 10,0 kg



TECHMAR

www.techmar.nl

Garden Lights



FLOOD 15

SPOT LIGHT - 12 VOLT

Article number : 9501011
EAN code : 5907800855593
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Black
Cable : 2 m. H05RN-F

Length : 115 mm
Width : 90 mm
Height : 87 mm

IP class : IP44
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : LED warm white
Replaceable : No
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 15 W
Lumen output : 786 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source
Possible light sources with energy class _

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
Width : 145 mm
Height : 130 mm
Weight : 0,9 kg

MASTER CARTON

Nr. of products : 16
Length : 540 mm
Width : 310 mm
Height : 310 mm
Weight : 14,3 kg



TECHMAR

www.techmar.nl



Garden Lights

FLOOD 30

SPOT LIGHT - 12 VOLT

Article number : 9502011
EAN code : 5907800855609
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Black
Cable : 2 m. H05RN-F

Length : 180 mm
Width : 108 mm
Height : 140 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : LED warm white
Replaceable : No
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 30 W
Lumen output : 1497 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class _

PACKAGING DETAILS

SINGLE BOX

Length : 190 mm
Width : 155 mm
Height : 260 mm
Weight : 1,5 kg

MASTER CARTON

Nr. of products : 8
Length : 540 mm
Width : 400 mm
Height : 330 mm
Weight : 12,8 kg



TECHMAR

www.techmar.nl



Garden Lights

ALDER

SPOT LIGHT - 12 VOLT

Article number : 2580061
EAN code : 5907800857061
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : PBT
Colour : Anthracite
Cable : 1 m. SPT-1W

Length : 40 mm
Width : 86 mm
Height : 65 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base	☒ Ground spike
☒ Hexagon wrench	☐ Transformer
☒ Fasteners Screws and plugs	☐ Main cable

LIGHT SOURCE

Type : MR11 2 LEDs 2W
Replaceable : Yes (6215011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 120 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with
energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 70 mm
Width : 70 mm
Height : 260 mm
Weight : 0,19 kg

MASTER CARTON

Nr. of products : 16
Length : 300 mm
Width : 300 mm
Height : 285 mm
Weight : 4,5 kg



TECHMAR

www.techmar.nl



Garden Lights

ALDER SET

SPOT LIGHT - 12 VOLT

Article number : 2580063
 EAN code : 5907800857078
 HS code : 94054031
 Number of lights : 3
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : PBT
 Colour : Anthracite
 Cable : 1 m. SPT-1W

Length : 40 mm
 Width : 86 mm
 Height : 65 mm

IP class : IP44
 Protection class : III

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Hexagon wrench ☒ Transformer
 12V - max. 12W EU / 22W BS
☒ Fasteners ☒ Main cable
 Screws and plugs 8 m. SPT-1W
 4 connectors

LIGHT SOURCE

Type : MR11 2 LEDs 2W
 Replaceable : Yes (6215011)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 2 W
 Lumen output : 120 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source
 Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 125 mm
 Width : 100 mm
 Height : 260 mm
 Weight : 1,10 kg

MASTER CARTON

Nr. of products : 9
 Length : 320 mm
 Width : 395 mm
 Height : 285 mm
 Weight : 10,0 kg



TECHMAR

www.techmar.nl



Garden Lights

FLO GREY

SPOT LIGHT - 12 VOLT

Article number : 3170191
 EAN code : 5907800856743
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
 Colour : Dark grey
 Cable : 1 m. SPT-1W

Length : 60 mm
 Width : 60 mm
 Height : 500 mm

IP class : IP44
 Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
 Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
 Replaceable : Yes (6193011)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 3 W
 Lumen output : 190 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source
 Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
 Width : 125 mm
 Height : 260 mm
 Weight : 0,4 kg

MASTER CARTON

Nr. of products : 12
 Length : 520 mm
 Width : 455 mm
 Height : 280 mm
 Weight : 9,1 kg



TECHMAR

www.techmar.nl



Garden Lights

FLO WHITE

SPOT LIGHT - 12 VOLT

Article number : 3171191
 EAN code : 5907800856750
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
 Colour : White
 Cable : 1 m. SPT-1W

Length : 60 mm
 Width : 60 mm
 Height : 500 mm

IP class : IP44
 Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
 Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
 Replaceable : Yes (6193011)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 3 W
 Lumen output : 190 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source 
 Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
 Width : 125 mm
 Height : 260 mm
 Weight : 0,4 kg

MASTER CARTON

Nr. of products : 12
 Length : 520 mm
 Width : 455 mm
 Height : 280 mm
 Weight : 9,1 kg



TECHMAR

www.techmar.nl



Garden Lights

OLYMPUS

POST LIGHT - 12 VOLT

Article number : 3049061
EAN code : 5907658372006
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Anthracite
Cable : 2 m. SPT-1W

Length : 80 mm
Width : 120 mm
Height : 410 mm

IP class : IP44
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : Module 16 LEDs 2W
Replaceable : Yes (1070101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 47 lm
Light colour (CCT) : 6.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source
Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 130 mm
Width : 110 mm
Height : 460 mm
Weight : 0,9 kg

MASTER CARTON

Nr. of products : 6
Length : 345 mm
Width : 275 mm
Height : 482 mm
Weight : 6,0 kg



TECHMAR

www.techmar.nl



Garden Lights

GALILEO

SPOT LIGHT - 12 VOLT

Article number : 4124601
 EAN code : 5907800857221
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
 Colour : Stainless steel
 Cable : 1 m. SPT-1W

Length : 80 mm
 Width : 55 mm
 Height : 90 mm

IP class : IP44
 Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
 Screws and plugs

LIGHT SOURCE

Type : MR11 2 LEDs 2W
 Replaceable : Yes (6215011)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 2 W
 Lumen output : 120 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source
 Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 140 mm
 Width : 86 mm
 Height : 128 mm
 Weight : 0,29 kg

MASTER CARTON

Nr. of products : 12
 Length : 295 mm
 Width : 275 mm
 Height : 285 mm
 Weight : 4,0 kg



TECHMAR

www.techmar.nl



Garden Lights

CATALPA

SPOT LIGHT - 12 VOLT

Article number : 4121601
 EAN code : 5907800856422
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
 Colour : Stainless steel
 Cable : 1 m. SPT-1W

Length : 80 mm
 Width : 62 mm
 Height : 105 mm

IP class : IP44
 Protection class : III

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
 Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
 Replaceable : Yes (6193011)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 3 W
 Lumen output : 190 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source 
 Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 140 mm
 Width : 86 mm
 Height : 128 mm
 Weight : 0,43 kg

MASTER CARTON

Nr. of products : 12
 Length : 300 mm
 Width : 275 mm
 Height : 285 mm
 Weight : 6,0 kg



TECHMAR

www.techmar.nl

Garden Lights

CATALPA SET

SPOT LIGHT - 12 VOLT

Article number : 4121603
EAN code : 5907800856415
HS code : 94054091
Number of lights : 3
Warranty : 3 years



TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 1 m. SPT-1W

Length : 80 mm
Width : 62 mm
Height : 105 mm

IP class : IP44
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Hexagon wrench ☒ Transformer
12V - max. 12W EU / 22W BS
☒ Fasteners ☒ Main cable
Screws and plugs 8 m. SPT-1W
4 connectors

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source
Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 245 mm
Width : 130 mm
Height : 128 mm
Weight : 0,97 kg

MASTER CARTON

Nr. of products : 4
Length : 260 mm
Width : 275 mm
Height : 285 mm
Weight : 8,5 kg



TECHMAR

www.techmar.nl



Garden Lights

ARIGO

SPOT LIGHT - 12 VOLT

Article number : 4116601
 EAN code : 5907800855951
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
 Colour : Stainless steel
 Cable : 2 m. H05RN-F

Length : 90 mm
 Width : 90 mm
 Height : 125 mm

IP class : IP68
 Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☒ Ground spike
☒ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
 Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
 Replaceable : Yes (6193011)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 3 W
 Lumen output : 190 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source 
 Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
 Width : 115 mm
 Height : 130 mm
 Weight : 0,99 kg

MASTER CARTON

Nr. of products : 12
 Length : 310 mm
 Width : 370 mm
 Height : 295 mm
 Weight : 11,7 kg



TECHMAR

www.techmar.nl



Garden Lights

ATLAS

SPOT LIGHT - 12 VOLT

Article number : 4125601
 EAN code : 5907800857238
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
 Colour : Stainless steel
 Cable : 1 m. SPT-1W

Length : 100 mm
 Width : 67 mm
 Height : 130 mm

IP class : IP44
 Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
 Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
 Replaceable : Yes (6193011)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 3 W
 Lumen output : 190 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source
 Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 140 mm
 Width : 96 mm
 Height : 128 mm
 Weight : 0,44 kg

MASTER CARTON

Nr. of products : 12
 Length : 310 mm
 Width : 295 mm
 Height : 285 mm
 Weight : 5,5 kg



TECHMAR

www.techmar.nl



Garden Lights

PROTEGO

SPOT LIGHT - 12 VOLT

Article number : 4118601
 EAN code : 5907800856637
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
 Colour : Stainless steel
 Cable : 2 m. H05RN-F

Length : 100 mm
 Width : 120 mm
 Height : 140 mm

IP class : IP68
 Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
 Screws and plugs

LIGHT SOURCE

Type : MR16 5 LEDs 5W
 Replaceable : Yes (6194011)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 5 W
 Lumen output : 320 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source 
 Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 170 mm
 Width : 120 mm
 Height : 130 mm
 Weight : 0,64 kg

MASTER CARTON

Nr. of products : 12
 Length : 360 mm
 Width : 380 mm
 Height : 290 mm
 Weight : 10,0 kg



TECHMAR

www.techmar.nl



Garden Lights

ELATUS

SPOT LIGHT - 12 VOLT

Article number : 3097121
EAN code : 5907800850925
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Gun metal
Cable : 2 m. SPT-1W

Length : 90 mm
Width : 45 mm
Height : 280 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : Power LED 2W
Replaceable : Yes (6161011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 64 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 95 mm
Width : 60 mm
Height : 260 mm
Weight : 0,4 kg

MASTER CARTON

Nr. of products : 8
Length : 260 mm
Width : 205 mm
Height : 280 mm
Weight : 3,5 kg



TECHMAR

www.techmar.nl



Garden Lights

MINUS

SPOT LIGHT - 12 VOLT

Article number : 3096121
EAN code : 5907800850857
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Gun metal
Cable : 2 m. SPT-1W

Length : 90 mm
Width : 45 mm
Height : 70 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : Power LED 2W
Replaceable : Yes (6161011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 64 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 

Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
Width : 60 mm
Height : 130 mm
Weight : 0,3 kg

MASTER CARTON

Nr. of products : 16
Length : 305 mm
Width : 260 mm
Height : 285 mm
Weight : 5,5 kg



TECHMAR

www.techmar.nl



Garden Lights

CYLON

SPOT LIGHT - 12 VOLT

Article number : 3578501
EAN code : 5907800856002
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Polysresin
Colour : Black granite
Cable : 2 m. SPT-1W

Length : 100 mm
Width : 100 mm
Height : 100 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☐ Transformer
☐ Fasteners	☐ Main cable

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 140 mm
Width : 140 mm
Height : 130 mm
Weight : 1,3 kg

MASTER CARTON

Nr. of products : 8
Length : 295 mm
Width : 295 mm
Height : 282 mm
Weight : 11,7 kg



TECHMAR

www.techmar.nl



Garden Lights

LAPIS

SPOT LIGHT - 12 VOLT

Article number : 3577441
 EAN code : 5907800855999
 HS code : 94054031
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Polyresin
 Colour : Grey
 Cable : 2 m. SPT-1W

 Length : 145 mm
 Width : 145 mm
 Height : 110 mm

IP class : IP68 (0,5m)
 Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : MR16 3 LEDs 3W
 Replaceable : Yes (6193011)

 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 3 W
 Lumen output : 190 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source 
 Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 170 mm
 Width : 130 mm
 Height : 130 mm
 Weight : 1,5 kg

MASTER CARTON

Nr. of products : 8
 Length : 375 mm
 Width : 285 mm
 Height : 292 mm
 Weight : 12,8 kg



TECHMAR

www.techmar.nl

Garden Lights

LAPIS SET

SPOT LIGHT - 12 VOLT

Article number : 3577443
EAN code : 5907800856217
HS code : 94054031
Number of lights : 3
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Polyresin
Colour : Grey
Cable : 2 m. SPT-1W

Length : 145 mm
Width : 145 mm
Height : 110 mm

IP class : IP68 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☒ Transformer 12V - 21W max.
☐ Fasteners	☒ Main cable 6 m. SPT-1W 3-way splitter

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)

Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 245 mm
Width : 145 mm
Height : 260 mm
Weight : 1,5 kg

MASTER CARTON

Nr. of products : 3
Length : 460 mm
Width : 265 mm
Height : 295 mm
Weight : 18,8 kg



TECHMAR

www.techmar.nl

Garden Lights



ALPHA WHITE

DECK LIGHT - 12 VOLT

Article number : 4112601
EAN code : 5907800855586
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel 316
Colour : Stainless steel
Cable : 2 x 1 m. SPT-1W

Length : 42 mm
Width : 42 mm
Height : 45 mm

IP class : IP68 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☐ Transformer
☒ Fasteners	☐ Main cable

LIGHT SOURCE

Type : Module 3 LEDs 0.5W
Replaceable : Yes (1164101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 0,5 W
Lumen output : 10 lm
Light colour (CCT) : 6.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source : _
Possible light sources with energy class : _

PACKAGING DETAILS

SINGLE BOX

Length : 80 mm
Width : 70 mm
Height : 95 mm
Weight : 0,18 kg

MASTER CARTON

Nr. of products : 32
Length : 340 mm
Width : 300 mm
Height : 220 mm
Weight : 6,2 kg



TECHMAR

www.techmar.nl



Garden Lights

ALPHA

DECK LIGHT - 12 VOLT

Article number : 4048601
EAN code : 5907658372426
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel 316
Colour : Stainless steel
Cable : 2 x 1 m. SPT-1W

Length : 42 mm
Width : 42 mm
Height : 45 mm

IP class : IP68 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☐ Transformer
☒ Fasteners	☐ Main cable

LIGHT SOURCE

Type : Module 3 LEDs 0.5W
Replaceable : Yes (1166101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 0,5 W
Lumen output : 10 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source : _
Possible light sources with energy class : _

PACKAGING DETAILS

SINGLE BOX

Length : 80 mm
Width : 70 mm
Height : 95 mm
Weight : 0,18 kg

MASTER CARTON

Nr. of products : 32
Length : 340 mm
Width : 300 mm
Height : 220 mm
Weight : 6,2 kg



TECHMAR

www.techmar.nl



Garden Lights

ALPHA BLUE

DECK LIGHT - 12 VOLT

Article number : 4059601
EAN code : 5907800852981
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel 316
Colour : Stainless steel
Cable : 2 x 1 m. SPT-1W

Length : 42 mm
Width : 42 mm
Height : 45 mm

IP class : IP68 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable

LIGHT SOURCE

Type : Module 3 LEDs 0.5W
Replaceable : Yes (1165101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 0,5 W
Lumen output : 2 lm
Light colour (CCT) : 12.000 - 15.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source : _
Possible light sources with energy class : _

PACKAGING DETAILS

SINGLE BOX

Length : 80 mm
Width : 70 mm
Height : 95 mm
Weight : 0,18 kg

MASTER CARTON

Nr. of products : 32
Length : 340 mm
Width : 300 mm
Height : 220 mm
Weight : 6,2 kg



TECHMAR

www.techmar.nl



Garden Lights

SIRIUS BLUE

DECK LIGHT - 12 VOLT

Article number : 4113601
 EAN code : 5907800855678
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel 316
 Colour : Stainless steel
 Cable : 2 m. H05RN-F

Length : 70 mm
 Width : 70 mm
 Height : 52 mm

IP class : IP68 (0,5m)
 Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable

LIGHT SOURCE

Type : Module 6 LEDs 1W
 Replaceable : Yes (1170101)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 1 W
 Lumen output : 5 lm
 Light colour (CCT) : 12.000 - 15.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source -
 Possible light sources with energy class -

PACKAGING DETAILS

SINGLE BOX

Length : 110 mm
 Width : 95 mm
 Height : 95 mm
 Weight : 0,27 kg

MASTER CARTON

Nr. of products : 32
 Length : 465 mm
 Width : 410 mm
 Height : 220 mm
 Weight : 13,0 kg



TECHMAR

www.techmar.nl



Garden Lights

SIRIUS

DECK LIGHT - 12 VOLT

Article number : 4039601
EAN code : 5907800851700
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel 316
Colour : Stainless steel
Cable : 2 m. H05RN-F

Length : 70 mm
Width : 70 mm
Height : 52 mm

IP class : IP68 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☐ Transformer
☒ Fasteners	☐ Main cable

LIGHT SOURCE

Type : Module 6 LEDs 1W
Replaceable : Yes (1066101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1 W
Lumen output : 30 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 110 mm
Width : 95 mm
Height : 95 mm
Weight : 0,27 kg

MASTER CARTON

Nr. of products : 32
Length : 465 mm
Width : 410 mm
Height : 220 mm
Weight : 13,0 kg



TECHMAR

www.techmar.nl



Garden Lights

LEDA

DECK LIGHT - 12 VOLT

Article number : 4040601
EAN code : 5907800851717
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel 316
Colour : Stainless steel
Cable : 2 m. H05RN-F

Length : 70 mm
Width : 70 mm
Height : 52 mm

IP class : IP68 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☐ Transformer
☐ Fasteners	☐ Main cable

LIGHT SOURCE

Type : Module 6 LEDs 1W
Replaceable : Yes (1066101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1 W
Lumen output : 30 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 110 mm
Width : 95 mm
Height : 95 mm
Weight : 0,39 kg

MASTER CARTON

Nr. of products : 32
Length : 465 mm
Width : 410 mm
Height : 220 mm
Weight : 14,0 kg



TECHMAR

www.techmar.nl



Garden Lights

AUREUS

DECK LIGHT - 12 VOLT

Article number : 4041601
 EAN code : 5907800851724
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel 316
 Colour : Stainless steel
 Cable : 2 m. H05RN-F

Length : 115 mm
 Width : 115 mm
 Height : 115 mm

IP class : IP68 (0,5m)
 Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☒ Hexagon wrench ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : Module 12 LEDs 2W
 Replaceable : Yes (1068101)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 2 W
 Lumen output : 43 lm
 Light colour (CCT) : 3.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source
 Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
 Width : 115 mm
 Height : 130 mm
 Weight : 0,50 kg

MASTER CARTON

Nr. of products : 12
 Length : 310 mm
 Width : 370 mm
 Height : 295 mm
 Weight : 8,5 kg



TECHMAR

www.techmar.nl



Garden Lights

ELARA

DECK LIGHT - 12 VOLT

Article number : 4042601
EAN code : 5907800851731
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel 316
Colour : Stainless steel
Cable : 2 m. H05RN-F

Length : 115 mm
Width : 115 mm
Height : 115 mm

IP class : IP68 (0,5m)
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☒ Hexagon wrench ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : Module 12 LEDs 2W
Replaceable : Yes (1068101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 43 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source
Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 170 mm
Width : 120 mm
Height : 130 mm
Weight : 0,71 kg

MASTER CARTON

Nr. of products : 12
Length : 360 mm
Width : 380 mm
Height : 290 mm
Weight : 10,1 kg



TECHMAR

www.techmar.nl

Garden Lights

ASTRUM WHITE

DECK LIGHT - 12 VOLT

Article number : 3029601
EAN code : 5906340131693
HS code : 94054091
Number of lights : 1
Warranty : 3 years



TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 2 x 1 m. SPT-1W

Length : 40 mm
Width : 40 mm
Height : 28 mm

IP class : IP68 (0,5m)
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☐ Transformer
☐ Fasteners	☐ Main cable

LIGHT SOURCE

Type : Module 2 LEDs 0.5W
Replaceable : No
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 0,5 W
Lumen output : 4 lm
Light colour (CCT) : 6.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source _
Possible light sources with energy class _

PACKAGING DETAILS

SINGLE BOX

Length : 80 mm
Width : 50 mm
Height : 110 mm
Weight : 0,2 kg


MASTER CARTON

Nr. of products : 120
Length : 535 mm
Width : 355 mm
Height : 385 mm
Weight : 21,0 kg



TECHMAR

www.techmar.nl



Garden Lights

ASTRUM BLUE

DECK LIGHT - 12 VOLT

Article number : 3037601
EAN code : 5906340131860
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 2 x 1 m. SPT-1W

Length : 40 mm
Width : 40 mm
Height : 28 mm

IP class : IP68 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : Module 2 LEDs 0.5W
Replaceable : No
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 0,5 W
Lumen output : 1 lm
Light colour (CCT) : 12.000 - 15.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source _
Possible light sources with energy class _

PACKAGING DETAILS

SINGLE BOX

Length : 80 mm
Width : 50 mm
Height : 110 mm
Weight : 0,2 kg

MASTER CARTON

Nr. of products : 120
Length : 535 mm
Width : 355 mm
Height : 385 mm
Weight : 21,0 kg



TECHMAR

www.techmar.nl

Garden Lights

AXIS WHITE

DECK LIGHT - 12 VOLT

Article number : 3038601
EAN code : 5905133109291
HS code : 94054091
Number of lights : 1
Warranty : 3 years



TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 2 x 1 m. SPT-1W

Length : 70 mm
Width : 42 mm
Height : 28 mm

IP class : IP68 (0,5m)
Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☐ Transformer
☒ Fasteners Screws and plugs	☐ Main cable

LIGHT SOURCE

Type : Module 2 LEDs 0.5W
Replaceable : No
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 0,5 W
Lumen output : 4 lm
Light colour (CCT) : 6.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source : —
Possible light sources with
energy class : —

PACKAGING DETAILS

SINGLE BOX

Length : 80 mm
Width : 50 mm
Height : 110 mm
Weight : 0,2 kg

MASTER CARTON

Nr. of products : 120
Length : 535 mm
Width : 355 mm
Height : 385 mm
Weight : 22,1 kg



TECHMAR

www.techmar.nl



Garden Lights

BREVUS

DECK LIGHT - 12 VOLT

Article number : 2520601
EAN code : 5907658372105
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 2 m. SPT-1W

Length : 70 mm
Width : 70 mm
Height : 52 mm

IP class : IP68 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : Module 6 LEDs 1W
Replaceable : Yes (1065101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1 W
Lumen output : 33 lm
Light colour (CCT) : 8.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 110 mm
Width : 95 mm
Height : 95 mm
Weight : 0,30 kg

MASTER CARTON

Nr. of products : 32
Length : 465 mm
Width : 410 mm
Height : 220 mm
Weight : 11,0 kg



TECHMAR

www.techmar.nl



Garden Lights

BREVA

DECK LIGHT - 12 VOLT

Article number : 4016601
EAN code : 5907658372815
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
Colour : Stainless steel
Cable : 2 m. SPT-1W

Length : 70 mm
Width : 70 mm
Height : 52 mm

IP class : IP68 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : Module 6 LEDs 1W
Replaceable : Yes (1065101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1 W
Lumen output : 33 lm
Light colour (CCT) : 8.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 110 mm
Width : 95 mm
Height : 95 mm
Weight : 0,35 kg

MASTER CARTON

Nr. of products : 32
Length : 465 mm
Width : 415 mm
Height : 220 mm
Weight : 11,4 kg



TECHMAR

www.techmar.nl



Garden Lights

HIBRIA

DECK LIGHT - 12 VOLT

Article number : 4005601
 EAN code : 5905133109802
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
 Colour : Stainless steel
 Cable : 2 m. H05RN-F

Length : 115 mm
 Width : 115 mm
 Height : 115 mm

IP class : IP68 (0,5m)
 Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☒ Hexagon wrench ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : Module 12 LEDs 2W
 Replaceable : Yes (1067101)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 2 W
 Lumen output : 45 lm
 Light colour (CCT) : 8.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source
 Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
 Width : 115 mm
 Height : 130 mm
 Weight : 0,67 kg

MASTER CARTON

Nr. of products : 12
 Length : 310 mm
 Width : 370 mm
 Height : 295 mm
 Weight : 8,5 kg



TECHMAR

www.techmar.nl



Garden Lights

HYBRA

DECK LIGHT - 12 VOLT

Article number : 4015601
 EAN code : 5907658372808
 HS code : 94054091
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel
 Colour : Stainless steel
 Cable : 2 m. H05RN-F

Length : 115 mm
 Width : 115 mm
 Height : 115 mm

IP class : IP68 (0,5m)
 Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☒ Hexagon wrench ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : Module 12 LEDs 2W
 Replaceable : Yes (1067101)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 2 W
 Lumen output : 45 lm
 Light colour (CCT) : 8.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source
 Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 170 mm
 Width : 120 mm
 Height : 130 mm
 Weight : 0,64 kg

MASTER CARTON

Nr. of products : 12
 Length : 360 mm
 Width : 380 mm
 Height : 290 mm
 Weight : 10,0 kg



TECHMAR

www.techmar.nl



Garden Lights

ATRIA WHITE

DECK LIGHT - 12 VOLT

Article number : 4077601
EAN code : 5907800854169
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel 316
Colour : Stainless steel
Cable : 2 x 1 m. SPT-1W

Length : 42 mm
Width : 42 mm
Height : 45 mm

IP class : IP68 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☐ Transformer
☐ Fasteners	☐ Main cable

LIGHT SOURCE

Type : Module 3 LEDs 0.5W
Replaceable : Yes (1166101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 0,5 W
Lumen output : 10 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source _
Possible light sources with energy class _

PACKAGING DETAILS

SINGLE BOX

Length : 80 mm
Width : 70 mm
Height : 95 mm
Weight : 0,18 kg


MASTER CARTON

Nr. of products : 32
Length : 340 mm
Width : 300 mm
Height : 220 mm
Weight : 6,0 kg



TECHMAR

www.techmar.nl



Garden Lights

ATRIA BLUE

DECK LIGHT - 12 VOLT

Article number : 4092601
EAN code : 5907800855036
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel 316
Colour : Stainless steel
Cable : 2 x 1 m. SPT-1W

Length : 42 mm
Width : 42 mm
Height : 45 mm

IP class : IP68 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☐ Transformer
☐ Fasteners	☐ Main cable

LIGHT SOURCE

Type : Module 3 LEDs 0.5W
Replaceable : Yes (1165101)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 0,5 W
Lumen output : 2 lm
Light colour (CCT) : 12.000 - 15.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source : _
Possible light sources with energy class : _

PACKAGING DETAILS

SINGLE BOX

Length : 80 mm
Width : 70 mm
Height : 95 mm
Weight : 0,18 kg

MASTER CARTON

Nr. of products : 32
Length : 340 mm
Width : 300 mm
Height : 220 mm
Weight : 6,0 kg



TECHMAR

www.techmar.nl



Garden Lights

XERUS

DECK LIGHT - 12 VOLT

Article number : 3540531
 EAN code : 5907658372587
 HS code : 94054031
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Polyresin
 Colour : Stone-effect anthracite
 Cable : 2 m. H05RN-F

Length : 140 mm
 Width : 140 mm
 Height : 75 mm

IP class : IP68 (0,5m)
 Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☒ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
 Screws and plugs

LIGHT SOURCE

Type : Module 16 LEDs 2W
 Replaceable : Yes (1333101)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 2 W
 Lumen output : 47 lm
 Light colour (CCT) : 6.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source 
 Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 160 mm
 Width : 160 mm
 Height : 130 mm
 Weight : 3,0 kg

MASTER CARTON

Nr. of products : 8
 Length : 335 mm
 Width : 335 mm
 Height : 282 mm
 Weight : 24,5 kg



TECHMAR

www.techmar.nl



Garden Lights

EXILLIS

DECK LIGHT - 12 VOLT

Article number : 3541531
 EAN code : 5907658372594
 HS code : 94054031
 Number of lights : 1
 Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Polyresin
 Colour : Stone-effect anthracite
 Cable : 2 m. H05RN-F

Length : 200 mm
 Width : 100 mm
 Height : 75 mm

IP class : IP68 (0,5m)
 Protection class :

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☒ Hexagon wrench ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : Module 15 LEDs 2W
 Replaceable : Yes (1334101)
 Voltage : 12 V AC/DC
 Startup voltage : 9 V
 Wattage : 2 W
 Lumen output : 36 lm
 Light colour (CCT) : 6.000 K
 Average lifetime : 10.000 hours
 CRI : > 65
 Power factor : > 0,5
 On/off : 5.000
 Dimmable : No

Energy class light source
 Possible light sources with energy class

PACKAGING DETAILS

SINGLE BOX

Length : 240 mm
 Width : 100 mm
 Height : 130 mm
 Weight : 3,0 kg

MASTER CARTON

Nr. of products : 8
 Length : 418 mm
 Width : 255 mm
 Height : 282 mm
 Weight : 24,5 kg



TECHMAR

www.techmar.nl



Garden Lights

UMBRA

UPLIGHT - 12 VOLT

Article number : 3152051
EAN code : 5907800855982
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Stainless steel
Cable : 2 m. SPT-1W

Length : 105 mm
Width : 105 mm
Height : 85 mm

IP class : IP44 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☐ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Screws and plugs

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 

Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 170 mm
Width : 95 mm
Height : 130 mm
Weight : 0,6 kg

MASTER CARTON

Nr. of products : 12
Length : 355 mm
Width : 300 mm
Height : 285 mm
Weight : 8,0 kg



TECHMAR

www.techmar.nl



Garden Lights

AUREA

UPLIGHT - 12 VOLT

Article number : 4117601
EAN code : 5907800855968
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Stainless steel 316
Colour : Stainless steel
Cable : 2 m. SPT-1W

Length : 115 mm
Width : 115 mm
Height : 115 mm

IP class : IP68 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☒ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Tube

LIGHT SOURCE

Type : MR16 3 LEDs 3W
Replaceable : Yes (6193011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 190 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 145 mm
Width : 115 mm
Height : 130 mm
Weight : 0,7 kg

MASTER CARTON

Nr. of products : 12
Length : 310 mm
Width : 370 mm
Height : 295 mm
Weight : 8,5 kg



TECHMAR

www.techmar.nl



Garden Lights

RUBUM

UPLIGHT - 12 VOLT

Article number : 3159011
EAN code : 5907800856255
HS code : 94054091
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Aluminum
Colour : Black
Cable : 2 m. H05RN-F

Length : 160 mm
Width : 160 mm
Height : 110 mm

IP class : IP67 (0,5m)
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base ☐ Ground spike
☒ Hexagon wrench ☐ Transformer
☒ Fasteners ☐ Main cable
Tube

LIGHT SOURCE

Type : MR16 5 LEDs 5W
Replaceable : Yes (6194011)
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 5 W
Lumen output : 320 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source 
Possible light sources with energy class 

PACKAGING DETAILS

SINGLE BOX

Length : 170 mm
Width : 170 mm
Height : 260 mm
Weight : 1,1 kg

MASTER CARTON

Nr. of products : 8
Length : 355 mm
Width : 525 mm
Height : 280 mm
Weight : 8,5 kg



TECHMAR

www.techmar.nl



Garden Lights

ROUND 30

DECORATIVE LIGHT - 12 VOLT

Article number : 2574061
EAN code : 5907800856491
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : PE
Colour : White
Cable : 1,5 m. H05RN-F

Length : 300 mm
Width : 300 mm
Height : 300 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Remote control ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : LED RGB warm white
Replaceable : No
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 52 lm
Light colour (CCT) : RGB
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : Dimmable with remote (included)

Energy class light source 
Possible light sources with energy class _

PACKAGING DETAILS

SINGLE BOX

Length : 310 mm
Width : 310 mm
Height : 320 mm
Weight : 1,4 kg

MASTER CARTON

Nr. of products : 1
Length : 325 mm
Width : 325 mm
Height : 345 mm
Weight : 2,0 kg



TECHMAR

www.techmar.nl



Garden Lights

ROUND 40

DECORATIVE LIGHT - 12 VOLT

Article number : 2575061
EAN code : 5907800856507
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : PE
Colour : White
Cable : 1,5 m. H05RN-F

Length : 400 mm
Width : 400 mm
Height : 400 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Remote control ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : LED RGB warm white
Replaceable : No
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 3 W
Lumen output : 65 lm
Light colour (CCT) : RGB
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : Dimmable with remote (included)

Energy class light source 
Possible light sources with energy class _

PACKAGING DETAILS

SINGLE BOX

Length : 410 mm
Width : 410 mm
Height : 430 mm
Weight : 2,0 kg

MASTER CARTON

Nr. of products : 1
Length : 425 mm
Width : 425 mm
Height : 450 mm
Weight : 3,3 kg



TECHMAR

www.techmar.nl



Garden Lights

ROUND 50

DECORATIVE LIGHT - 12 VOLT

Article number : 2576061
EAN code : 5907800856514
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : PE
Colour : White
Cable : 1,5 m. H05RN-F

Length : 500 mm
Width : 500 mm
Height : 500 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Remote control ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : LED RGB warm white
Replaceable : No
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 4 W
Lumen output : 97 lm
Light colour (CCT) : RGB
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : Dimmable with remote (included)

Energy class light source 
Possible light sources with energy class _

PACKAGING DETAILS

SINGLE BOX

Length : 510 mm
Width : 510 mm
Height : 530 mm
Weight : 3,4 kg

MASTER CARTON

Nr. of products : 1
Length : 525 mm
Width : 525 mm
Height : 550 mm
Weight : 5,1 kg



TECHMAR

www.techmar.nl



Garden Lights

OVAL 28

DECORATIVE LIGHT - 12 VOLT

Article number : 2566451
EAN code : 5907800856309
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : PE
Colour : White
Cable : 1,5 m. H05RN-F

Length : 280 mm
Width : 280 mm
Height : 170 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Remote control ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : LED RGB warm white
Replaceable : No
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 52 lm
Light colour (CCT) : RGB
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : Dimmable with remote (included)

Energy class light source 
Possible light sources with energy class _

PACKAGING DETAILS

SINGLE BOX

Length : 200 mm
Width : 300 mm
Height : 300 mm
Weight : 0,9 kg

MASTER CARTON

Nr. of products : 1
Length : 310 mm
Width : 215 mm
Height : 335 mm
Weight : 1,4 kg



TECHMAR

www.techmar.nl

Garden Lights

OVAL 35

DECORATIVE LIGHT - 12 VOLT

Article number : 2567451
EAN code : 5907800856316
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : PE
Colour : White
Cable : 1,5 m. H05RN-F

Length : 350 mm
Width : 350 mm
Height : 270 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base ☒ Ground spike
☒ Remote control ☐ Transformer
☐ Fasteners ☐ Main cable

LIGHT SOURCE

Type : LED RGB warm white
Replaceable : No
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 52 lm
Light colour (CCT) : RGB
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : Dimmable with remote (included)

Energy class light source 
Possible light sources with energy class _

PACKAGING DETAILS

SINGLE BOX

Length : 370 mm
Width : 370 mm
Height : 320 mm
Weight : 1,5 kg

MASTER CARTON

Nr. of products : 1
Length : 380 mm
Width : 380 mm
Height : 335 mm
Weight : 2,4 kg



TECHMAR

www.techmar.nl

Garden Lights

FLAT 40

DECORATIVE LIGHT - 12 VOLT

Article number : 2568451
EAN code : 5907800856323
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : PE
Colour : Grey
Cable : 1,5 m. H05RN-F

Length : 400 mm
Width : 290 mm
Height : 150 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☒ Mounting base	☒ Ground spike
☒ Remote control	☐ Transformer
☐ Fasteners	☐ Main cable

LIGHT SOURCE

Type : LED RGB warm white
Replaceable : No
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 2 W
Lumen output : 52 lm
Light colour (CCT) : RGB
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : Dimmable with remote (included)

Energy class light source 
Possible light sources with energy class _

PACKAGING DETAILS

SINGLE BOX

Length : 420 mm
Width : 310 mm
Height : 200 mm
Weight : 1,2 kg

MASTER CARTON

Nr. of products : 1
Length : 435 mm
Width : 195 mm
Height : 335 mm
Weight : 1,6 kg



TECHMAR

www.techmar.nl



Garden Lights

FONTANA

DECORATIVE LIGHT - 12 VOLT

Article number : 8009431
EAN code : 5907800855548
HS code : 94054031
Number of lights : 1
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Plastic
Colour : Black
Cable : 5 m. Ø3mm

Length : 30 mm
Width : 30 mm
Height : 50 mm

IP class : IP68
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☐ Transformer
☐ Fasteners	☐ Main cable

LIGHT SOURCE

Type : Module 6 LEDs 1W
Replaceable : No
Voltage : 12 V AC/DC
Startup voltage : 9 V
Wattage : 1 W
Lumen output : 20 lm
Light colour (CCT) : 3.000 K
Average lifetime : 10.000 hours
CRI : > 65
Power factor : > 0,5
On/off : 5.000
Dimmable : No

Energy class light source : _
Possible light sources with energy class : _

PACKAGING DETAILS

SINGLE BOX

Length : 80 mm
Width : 70 mm
Height : 95 mm
Weight : 0.146 kg

MASTER CARTON

Nr. of products : 40
Length : 430 mm
Width : 300 mm
Height : 220 mm
Weight : 7,0 kg



TECHMAR

www.techmar.nl

Garden Lights

LINEA 1 - STARTER SET

DECORATIVE LIGHT - 12 VOLT

Article number : 7510012
EAN code : 5907800855272
HS code : 94054031
Number of lights : 100
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Plastic
Colour : Black
Cable : 10 m. 0,02 mm²

Length : 10000 mm
Width : 5 mm
Height : 30 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☐ Transformer
☐ Fasteners	☐ Main cable

LIGHT SOURCE

Type : 100 LEDs warm white
Replaceable : No

Voltage : 12 V AC/DC

Startup voltage : 9 V

Wattage : 2 W

Lumen output : 3 lm/LED lm

Light colour (CCT) : 3.000 K

Average lifetime : 10.000 hours

CRI : > 65

Power factor : > 0,5

On/off : 5.000

Dimmable : No

Energy class light source : _

Possible light sources with energy class : _

PACKAGING DETAILS

SINGLE BOX

Length : 95 mm
Width : 75 mm
Height : 195 mm
Weight : 0,30 kg

MASTER CARTON

Nr. of products : 32
Length : 400 mm
Width : 320 mm
Height : 410 mm
Weight : 10,0 kg



TECHMAR

www.techmar.nl

Garden Lights

LINEA 2 - EXTENSION

DECORATIVE LIGHT - 12 VOLT

Article number : 7511011
EAN code : 5907800855289
HS code : 94054031
Number of lights : 100
Warranty : 3 years

TECHNICAL SPECIFICATIONS

PRODUCT

Material : Plastic
Colour : Black
Cable : 10 m. 0,02 mm²

Length : 10000 mm
Width : 5 mm
Height : 30 mm

IP class : IP44
Protection class : 

SUPPLIED ACCESSORIES / CONTENTS

☐ Mounting base	☐ Ground spike
☐ Hexagon wrench	☐ Transformer
☐ Fasteners	☐ Main cable

LIGHT SOURCE

Type : 100 LEDs warm white
Replaceable : No

Voltage : 12 V AC/DC

Startup voltage : 9 V

Wattage : 2 W

Lumen output : 3 lm/LED lm

Light colour (CCT) : 3.000 K

Average lifetime : 10.000 hours

CRI : > 65

Power factor : > 0,5

On/off : 5.000

Dimmable : No

Energy class light source -

Possible light sources with energy class -

PACKAGING DETAILS

SINGLE BOX

Length : 95 mm
Width : 75 mm
Height : 195 mm
Weight : 0,25 kg

MASTER CARTON

Nr. of products : 32
Length : 400 mm
Width : 320 mm
Height : 410 mm
Weight : 9,0 kg



TECHMAR

www.techmar.nl