

- Complete product selection process =
1. Select profile type and length
 2. Select type of corresponding diffuser/lens
 3. Select dedicated accessories


AL - SLW8 - 1/2/3




product group profile type profile length



product group

- AL - ALUMINUM PROFILE
- AB - DIFFUSER/LENS
- MC - MOUNTING BRACKET
- EC - FINISH END CAP
- GA - ISOLATION SILICONE GASKET
- RU - ANTI SLIP RUBBER
- LC - LINEAR CONNECTOR

Item	Productcode	Previous Productcode	Description	Dimension	Material	Color	diffuser/lens type
	AL-SL7-1		Led profile SlimLine 7mm	1m	anodized aluminum	silver	no diffuser, needs to be chosen from below list
	AL-SL7-2	CHLAP8	Led profile SlimLine 7mm	2m	anodized aluminum	silver	no diffuser, needs to be chosen from below list
	AL-SL7-3		Led profile SlimLine 7mm	3m	anodized aluminum	silver	no diffuser, needs to be chosen from below list
	AL-SL7-3RAL		Led profile SlimLine 7mm in white RAL9003 color	3m	aluminum	RAL9003	no diffuser, needs to be chosen from below list
	EC-SL7-H1		ABS end cap for SlimLine 7mm LED profile without cable hole	pcs	ABS	grey	promotion, valid till the end of the stock
	EC-SL7-H2		ABS end cap for SlimLine 7mm LED profile with cable hole	pcs	ABS	grey	promotion, valid till the end of the stock
	EC-SL7-H3	CHLAPC8A	Aluminum end cap for SlimLine 7mm LED profile w/out cable hole	pcs	aluminum	silver	new, replace the ABS end caps
	EC-SL7-H4		Aluminum end cap for SlimLine 7mm LED profile with cable hole	pcs	aluminum	silver	new, replace the ABS end caps
	EC-SL7-H3RAL		Aluminum end cap for SlimLine 7mm LED profile w/out cable hole	pcs	aluminum	RAL9003	-
	EC-SL7-H4RAL		Aluminum end cap for SlimLine 7mm LED profile with cable hole in white RAL9003	pcs	aluminum	RAL9003	-
	MC-SL7-STEELRAL		Spring steel mounting bracket for SlimLine 7mm LED profile in white RAL9003	pcs	spring steel	RAL9003	-
	MC-SL7-STEEL	CHLAPB8	Spring steel mounting bracket for SlimLine 7mm LED profile	pcs	spring steel	silver	new, replace the ABS mounting bracket
	MC-SL7-MAG		Mounting bracket for SlimLine 7mm LED profile	pcs	ABS	grey	promotion, valid till the end of the stock
	LC-SL7		Magnetic mounting bracket for SlimLine 7mm LED profile	pcs	spring steel	silver	new, magnetic holding clip for SL7 profile
	EC-30SL7-H1		Linear connector for SlimLine 7mm LED profile	pcs	ABS	grey	-
EC-30SL7-H2		Aluminum end cap for SL7 LED profile with 30° degree optic lens w/out cable hole	pcs	aluminum	silver	-	
EC-60SL7-H1		Aluminum end cap for SL7 LED profile with 60° degree optic lens with cable hole	pcs	aluminum	silver	-	
EC-60SL7-H2		Aluminum end cap for SL7 LED profile with 60° degree optic lens w/out cable hole	pcs	aluminum	silver	-	
	AL-RSL7-1		Recessed SlimLine 7mm	1m	anodized aluminum	silver	no diffuser, needs to be chosen from below list
	AL-RSL7-2	CHLAP9	Recessed SlimLine 7mm	2m	anodized aluminum	silver	no diffuser, needs to be chosen from below list
	AL-RSL7-3		Recessed SlimLine 7mm	3m	anodized aluminum	silver	no diffuser, needs to be chosen from below list
	EC-RSL7-H2		ABS end cap for Recessed SlimLine 7mm LED profile with cable hole	pcs	ABS	grey	promotion, valid till the end of the stock
	EC-RSL7-H3	CHLAPC9A	Aluminum end cap for Recessed SlimLine 7mm LED profile w/out cable hole	pcs	aluminum	silver	0
	EC-RSL7-H4		Aluminum end cap for Recessed SlimLine 7mm LED profile with cable hole	pcs	aluminum	silver	-
	AL-SL15-1		SlimLine 15mm, anodized in silver, aluminum LED profile	1m	anodized aluminum	silver	no diffuser, needs to be chosen from below list
	AL-SL15-2	CHLAP1	SlimLine 15mm, anodized in silver, aluminum LED profile	2m	anodized aluminum	silver	no diffuser, needs to be chosen from below list
	AL-SL15-3		SlimLine 15mm, anodized in silver, aluminum LED profile	3m	anodized aluminum	silver	no diffuser, needs to be chosen from below list
	AL-SL15-3RAL		SlimLine 15mm, aluminum LED profile in white RAL9003	3m	aluminum	RAL9003	no diffuser, needs to be chosen from below list
	EC-SL15-H1		ABS end cap for SlimLine 15mm w/out cable hole	pcs	ABS	grey	promotion, valid till the end of the stock
	EC-SL15-H1RAL		ABS end cap for SlimLine 15mm w/out cable hole in white RAL9003	pcs	ABS	RAL9003	-
	EC-SL15-H2		ABS end cap for SlimLine 15mm with cable hole	pcs	ABS	grey	promotion, valid till the end of the stock
	EC-SL15-H2		ABS end cap for SlimLine 15mm with cable hole in white RAL9003	pcs	ABS	grey	promotion, valid till the end of the stock
	EC-SL15-H3RAL		Aluminum end cap for SlimLine 15mm LED profile w/out cable hole	pcs	aluminum	silver	new, replace the ABS end caps
	EC-SL15-H4		Aluminum end cap for SlimLine 15mm LED profile with cable hole	pcs	aluminum	silver	new, replace the ABS end caps
	EC-SL15-H3RAL		Aluminum end cap for SlimLine 15mm LED profile w/out cable hole, in white RAL9003	pcs	aluminum	silver	new, replace the ABS end caps
	EC-SL15-H4RAL		Aluminum end cap for SlimLine 15mm LED profile with cable hole, in white RAL9003	pcs	aluminum	RAL9003	new, replace the ABS end caps
	MC-SL15-STEELRAL		Spring steel mounting bracket for SlimLine 15mm LED profile in white RAL9003	pcs	spring steel	RAL9003	new, replace the ABS mounting bracket
	MC-SL15-STEEL	CHLAPB1	Spring steel mounting bracket for SlimLine 15mm LED profile	pcs	spring steel	silver	new, replace the ABS mounting bracket
	MC-SL15-MAG		ABS mounting bracket for SlimLine 15mm LED profile	pcs	ABS	grey	promotion, valid till the end of the stock
LC-SL15		Magnetic mounting bracket for SlimLine 7mm LED profile	pcs	spring steel	silver	new, magnetic holding clip for SL15 profile	
EC-30SL15-H1		ABS liner connector for SlimLine 15mm LED profile	pcs	ABS	grey	-	
EC-30SL15-H2		Aluminum end cap for SL15 LED profile with 30 degree optic lens w/out cable hole	pcs	aluminum	silver	-	
EC-60SL15-H3		Aluminum end cap for SL15 LED profile with 60 degree optic lens with cable hole	pcs	aluminum	silver	-	
EC-60SL15-H4		Aluminum end cap for SL15 LED profile with 60 degree optic lens w/out cable hole	pcs	aluminum	silver	-	
	AL-RSL15-1		Recessed SlimLine 15mm, anodized in silver, aluminum LED profile	1m	anodized aluminum	silver	no diffuser, needs to be choice from the below list
	AL-RSL15-2	CHLAP2	Recessed SlimLine 15mm, anodized in silver, aluminum LED profile	2m	anodized aluminum	silver	no diffuser, needs to be choice from the below list
	AL-RSL15-3		Recessed SlimLine 15mm, anodized in silver, aluminum LED profile	3m	anodized aluminum	silver	no diffuser, needs to be choice from the below list
	EC-RSL15-H2		ABS end cap for Recessed SlimLine 15mm with cable hole	pcs	ABS	grey	promotion, valid till the end of the stock
	EC-RSL15-H3	code	code	Aluminum end cap for Recessed SlimLine 15mm LED profile w/out cable hole	pcs	aluminum	silver
EC-RSL15-H4		Aluminum end cap for Recessed SlimLine 15mm LED profile with cable hole	pcs	aluminum	silver	-	
	AL-D2-1		ALU-45, anodized in silver, aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-D2-2	CHLAP3	ALU-45, anodized in silver, aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-D2-3		ALU-45, anodized in silver, aluminum LED profile	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-D2-1RAL		Led Profile ALU-45/in white RAL9010	1m	aluminum	RAL9010	no diffuser, need to be chosen from below list
	AL-D2-2RAL		Led Profile ALU-45/in white RAL9010	2m	aluminum	RAL9011	no diffuser, need to be chosen from below list
	LC-D2		Aluminum linear connector for ALU-45 LED profile	pcs	aluminum	silver	-
	EC-D2		ABS end cap for ALU-45 LED profile with cable hole	pcs	ABS	grey/white	promotion, valid till the end of the stock
	EC-D3	CHLAPC3A	Aluminum end cap for ALU-45 LED profile w/out cable hole	pcs	aluminum	silver	-
	EC-D4		Aluminum end cap for ALU-45 LED profile with cable hole	pcs	aluminum	silver	-
	EC-D3RAL		Aluminum end cap for ALU-45 LED profile w/out cable hole in white RAL9010	pcs	aluminum	RAL9010	-
	EC-D4RAL		Aluminum end cap for ALU-45 LED profile w/out cable hole in white RAL9010	pcs	aluminum	RAL9010	-
	MC-D2	CHLAPB3M		Spring steel mounting bracket for ALU-45 LED profile	pcs	spring steel	silver





	AL-E2-1			Led Profile ALU-Corner, anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-E2-2	CHLAP4	CHLAP4C	Led Profile ALU-Corner, anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-E2-1RAL			Led Profile ALU-Corner/in white RAL9010, aluminum LED profile	1m	aluminum	RAL9010	no diffuser, need to be chosen from below list
	AL-E2-2RAL			Led Profile ALU-Corner/in white RAL9010, aluminum LED profile	2m	aluminum	RAL9010	no diffuser, need to be chosen from below list
	EC-E1			ABS end cap for ALU-Corner LED profile w/out cable hole	pcs	ABS	grey	-
	EC-E2			ABS end cap for ALU-Corner LED profile, with cable hole	pcs	ABS	grey	-
	EC-E1RAL			ABS end cap for ALU-Corner LED profile w/out cable hole in white RAL9010	pcs	ABS	white	-
	EC-E2RAL			ABS end cap for ALU-Corner LED profile w/out cable hole in white RAL9010	pcs	ABS	white	-
	MC-E1RAL			ABS mounting bracket for ALU-Corner LED profile in white RAL9010	pcs	ABS	white	-
	MC-E1	CHLAPC4		ABS mounting bracket for ALU-Corner LED profile	pcs	ABS	grey	-
	MC-E2			Spring steel mounting bracket for ALU-Corner LED profile	pcs	spring steel	silver	-
		AL-FL-1			ALU-Flat, anodized in silver aluminum LED profile	1m	anodized aluminum	silver
AL-FL-2				ALU-Flat, anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
AL-FL-1RAL				Led Profile ALU-Flat/in white RAL9010, aluminum LED profile	1m	aluminum	RAL9010	no diffuser, need to be chosen from below list
AL-FL-2RAL				Led Profile ALU-Flat/in white RAL9010, aluminum LED profile	2m	aluminum	RAL9010	no diffuser, need to be chosen from below list
EC-FL1RAL				ABS end cap for ALU-Flat w/out holding ears,w/out cable hole in white RAL9010	pcs	ABS	white	-
EC-FL2RAL				ABS end cap for ALU-Flat w/out holding ears,w/out cable hole in white RAL9010	pcs	ABS	white	-
EC-FL3RAL				ABS end cap for ALU-Flat w/out holding ears,w/out cable hole in white RAL9010	pcs	ABS	white	0
EC-FL4RAL				ABS end cap for ALU-Flat w/out holding ears,w/out cable hole in white RAL9010	pcs	ABS	white	0
EC-FL1				ABS end cap for ALU-Flat w/out holding ears,w/out cable hole	pcs	ABS	grey	-
EC-FL2				ABS end cap for ALU-Flat w/out holding ears, with cable hole	pcs	ABS	grey	-
EC-FL3				ABS end cap for ALU-Flat with holding ears, w/out cable hole	pcs	ABS	grey	-
EC-FL4				ABS end cap for ALU-Flat with holding ears, with cable hole	pcs	ABS	grey	-
	AL-ST-1			Alu-Stair, anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-ST-2	CHLAP6		Alu-Stair, anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-ST-3			Alu-Stair, anodized in silver aluminum LED profile	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-ST-R	CHLAPC6R		ABS end cap for ALU-Stair, right	pcs	ABS	grey	-
	EC-ST-L	CHLAPC6L		ABS end cap for ALU-Stair, left	pcs	ABS	grey	-
	AL-WL-1			Alu-Wall, anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-WL-2			Alu-Wall, anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-WL-R			ABS end cap for ALU-Wall, with cable hole, right	pcs	ABS	grey	-
	EC-WL-L			ABS end cap for ALU-Wall, with cable hole, left	pcs	ABS	grey	-
	AB-SL-K1			Diffuser for SL7, RSL7, SL15, RSL15, Alu-45, Alu-Corner, Alu-Flat, Alu-Stair, Alu-Wall	1m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-SL-M1			Diffuser for SL7, RSL7, SL15, RSL15, Alu-45, Alu-Corner, Alu-Flat, Alu-Stair, Alu-Wall	1m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-SL-50M1			Diffuser for SL7, RSL7, SL15, RSL15, Alu-45, Alu-Corner, Alu-Flat, Alu-Stair, Alu-Wall	1m	polycarbonate UV-st.	50% frosted/opal	diffuser, certified UV stabilized material
	AB-SL-K2	CHLAPD		Diffuser for SL7, RSL7, SL15, RSL15, Alu-45, Alu-Corner, Alu-Flat, Alu-Stair, Alu-Wall	2m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-SL-M2	CHLAPDD		Diffuser for SL7, RSL7, SL15, RSL15, Alu-45, Alu-Corner, Alu-Flat, Alu-Stair, Alu-Wall	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-SL-50K2			Diffuser for SL7, RSL7, SL15, RSL15, Alu-45, Alu-Corner, Alu-Flat, Alu-Stair, Alu-Wall	2m	polycarbonate UV-st.	50% frosted/opal	diffuser, certified UV stabilized material
	AB-SL-K3			Diffuser for SL7, RSL7, SL15, RSL15, Alu-45, Alu-Corner, Alu-Flat, Alu-Stair, Alu-Wall	3m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-SL-M3			Diffuser for SL7, RSL7, SL15, RSL15, Alu-45, Alu-Corner, Alu-Flat, Alu-Stair, Alu-Wall	3m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
AB-SL-50M3			Diffuser for SL7, RSL7, SL15, RSL15, Alu-45, Alu-Corner, Alu-Flat, Alu-Stair, Alu-Wall	3m	polycarbonate UV-st.	50% frosted/opal	diffuser, certified UV stabilized material	
	AB-SL7-L30K2			30 degree optic lens for the SL7 series profiles	2m	PMMA, UV-st.	transparent	optic lens, certified UV stabilized material
	AB-SL7-L30M2			30 degree optic lens for the SL7 series profiles	2m	PMMA, UV-st.	satın matt	optic lens, certified UV stabilized material
	AB-SL7-L60K2			60 degree optic lens for the SL7 series profiles	2m	PMMA, UV-st.	transparent	optic lens, certified UV stabilized material
	AB-SL7-L60M2			60 degree optic lens for the SL7 series profiles	2m	PMMA, UV-st.	satın matt	optic lens, certified UV stabilized material
	AB-SL15-L30K2			30 degree optic lens for the SL15 series profiles	2m	PMMA, UV-st.	transparent	optic lens, certified UV stabilized material
	AB-SL15-L30M2			30 degree optic lens for the SL15 series profiles	2m	PMMA, UV-st.	satın matt	optic lens, certified UV stabilized material
	AB-SL15-L30M3			30 degree optic lens for the SL15 series profiles	3m	PMMA, UV-st.	satın matt	optic lens, certified UV stabilized material
	AB-SL15-L60K2			60 degree optic lens for the SL15 series profiles	2m	PMMA, UV-st.	transparent	optic lens, certified UV stabilized material
AB-SL15-L60M2			60 degree optic lens for the SL15 series profiles	2m	PMMA, UV-st.	satın matt	optic lens, certified UV stabilized material	
	AL-SLW8-1			SlimLine Wide 8mm, anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-SLW8-2	CHLAP7	CHLAP7C	SlimLine Wide 8mm, anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-SLW8-3			SlimLine Wide 8mm, anodized in silver aluminum LED profile	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	MC-SLW8-STEEL	CHLAPB7		Spring steel mounting bracket for SlimLine Wide 8mm LED profile	pcs	spring steel	silver	new, replace the ABS mounting bracket
	MC-SLW8			ABS mounting bracket for SlimLine Wide 8mm LED profile	pcs	ABS	grey	promotion, valid till the end of the stock
	EC-SLW8-H2			ABS end cap for SlimLine Wide 8mm LED profile, with cable hole	pcs	ABS	grey	promotion, valid till the end of the stock
	EC-SLW8-H3	CHLAPC7A		Aluminum end cap for SlimLine Wide 8mm LED profile, w/out cable hole	pcs	aluminum	silver	-
	EC-SLW8-H4			Aluminum end cap for SlimLine Wide 8mm LED profile, with cable hole	pcs	aluminum	silver	-
	AL-RSLW8-1			Recess SlimLine Wide 8mm, anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-RSLW8-2			Recess SlimLine Wide 8mm, anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-RSLW8-H3			Aluminum end cap for RSLW8 LED profile, w/out cable hole	pcs	aluminum	silver	-
	EC-RSLW8-H4			Aluminum end cap for RSLW8 LED profile, with cable hole	pcs	aluminum	silver	-
	AL-SLW15-1			SlimLine Wide 15mm, anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-SLW15-2	CHLAP7H		SlimLine Wide 15mm, anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-SLW15-3			SlimLine Wide 15mm, anodized in silver aluminum LED profile	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-SLW15-H3	CHLAPC7H		Aluminum end cap for SlimLine Wide 15mm LED profile, w/out cable hole	pcs	aluminum	silver	-
	EC-SLW15-H4			Aluminum end cap for SlimLine Wide 15mm, with cable hole	pcs	aluminum	silver	-
	MC-SLW15-STEEL			Spring steel mounting bracket for SlimLine Wide 15mm LED profile	pcs	spring steel	silver	new, replace the ABS mounting bracket
MC-SLW15			ABS mounting bracket for SlimLine Wide 15mm LED profile	pcs	ABS	grey	promotion, valid till the end of the stock	



									
	AL-CE-1			Alu-Ceiling, anodized in silver aluminum LED profile	1m	anodized aluminum	silver		no diffuser, need to be chosen from below list
	AL-CE-2			Alu-Ceiling, anodized in silver aluminum LED profile	2m	anodized aluminum	silver		no diffuser, need to be chosen from below list
	AB-SLW-K1			Diffuser for SLW8, RSLW8, SLW15, Alu-Ceiling, WLL series profiles	1m	polycarbonate UV-st.	clear/transparent		diffuser, certified UV stabilized material
	AB-SLW-M1			Diffuser for SLW8, RSLW8, SLW15, Alu-Ceiling, WLL series profiles	1m	polycarbonate UV-st.	frosted/opal		diffuser, certified UV stabilized material
	AB-SLW-50M1			Diffuser for SLW8, RSLW8, SLW15, Alu-Ceiling, WLL series profiles	1m	polycarbonate UV-st.	50% frosted/opal		diffuser, certified UV stabilized material
	AB-SLW-K2			Diffuser for SLW8, RSLW8, SLW15, Alu-Ceiling, WLL series profiles	2m	polycarbonate UV-st.	clear/transparent		diffuser, certified UV stabilized material
	AB-SLW-M2	CHLAP7&H		Diffuser for SLW8, RSLW8, SLW15, Alu-Ceiling, WLL series profiles	2m	polycarbonate UV-st.	frosted/opal		diffuser, certified UV stabilized material
	AB-SLW-50M2			Diffuser for SLW8, RSLW8, SLW15, Alu-Ceiling, WLL series profiles	2m	polycarbonate UV-st.	50% frosted/opal		diffuser, certified UV stabilized material
	AB-SLW-M3			Diffuser for SLW8, RSLW8, SLW15, Alu-Ceiling, WLL series profiles	3m	polycarbonate UV-st.	frosted/opal		diffuser, certified UV stabilized material
	AL-SS-1			Alu-Swiss for 6-8mm LED stripe, anodized in silver aluminum LED profile	1m	anodized aluminum	silver		no diffuser, need to be chosen from below list
	AL-SS-2	CHLAP14		Alu-Swiss for 6-8mm LED stripe, anodized in silver aluminum LED profile	2m	anodized aluminum	silver		no diffuser, need to be chosen from below list
	AL-SS-3			Alu-Swiss for 6-8mm LED stripe, anodized in silver aluminum LED profile	3m	anodized aluminum	silver		no diffuser, need to be chosen from below list
	MC-SS-BAS-1			Fixation base forAlu-Swiss, Swiss 20 LED profile	1m	polycarbonate	grey		-
	MC-SS-BAS-2	CHLAP14		Fixation base forAlu-Swiss, Swiss 20 LED profile	2m	polycarbonate	grey		-
	MC-SS-BAS-3			Fixing base forAlu-Swiss LED profile, 2m long, grey color	3m	polycarbonate	grey		-
	EC-SS-H1	CHLAPC14		Aluminum end cap for Alu-Swiss LED profile, w/out cable hole	pcs	aluminum	silver		-
	EC-SS-H2			Aluminum end cap for Alu-Swiss LED profile, with cable hole	pcs	aluminum	silver		-
	AB-SS-K1			Diffuser for Alu-Swiss profile,	1m	polycarbonate UV-st.	clear/transparent		diffuser, certified UV stabilized material
	AB-SS-M1			Diffuser for Alu-Swiss profile,	1m	polycarbonate UV-st.	frosted/opal		diffuser, certified UV stabilized material
	AB-SS-K2			Diffuser for Alu-Swiss profile,	2m	polycarbonate UV-st.	clear/transparent		diffuser, certified UV stabilized material
	AB-SS-M2	CHLAP14		Diffuser for Alu-Swiss profile,	2m	polycarbonate UV-st.	frosted/opal		diffuser, certified UV stabilized material
	AB-SS-K3			Diffuser for Alu-Swiss profile,	3m	polycarbonate UV-st.	clear/transparent		diffuser, certified UV stabilized material
	AB-SS-M3			Diffuser for Alu-Swiss profile,	3m	polycarbonate UV-st.	frosted/opal		diffuser, certified UV stabilized material
	AL-PLS-1			Power Line Slim 30, anodized in silver aluminum LED profile	1m	anodized aluminum	silver		no diffuser, need to be chosen from below list
	AL-PLS-2			Power Line Slim 30, anodized in silver aluminum LED profile	2m	anodized aluminum	silver		no diffuser, need to be chosen from below list
	EC-PLS			Aluminum end cap for PLS30 LED profile, w/out cable hole	pcs	aluminum	silver		-
	MC-CAB-2			Steel suspension cable for linear connector/alu-round LED profile, set of two	set	aluminum/steel	silver		set of two
	AL-RPLS-1			Recessed Power Line Slim 30, anodized in silver aluminum LED profile	1m	anodized aluminum	silver		no diffuser, need to be chosen from below list
	AL-RPLS-2			Recessed Power Line Slim 30, anodized in silver aluminum LED profile	2m	anodized aluminum	silver		no diffuser, need to be chosen from below list
	EC-RPLS			Aluminum end cap for RPLS30, w/out cable hole	pcs	aluminum	silver		-
	AL-DPLS-1			Double Power Line Slim 30 (light up/down) DLS, anodized in silver LED profile	1m	anodized aluminum	silver		no diffuser, diffuser x 2 need to be chosen from below list
	AL-DPLS-2			Double Power Line Slim 30 (light up/down) DPLS, anodized in silver LED profile	2m	anodized aluminum	silver		no diffuser, diffuser x 2 need to be chosen from below list
	EC-DPLS			Aluminum end cap for PLSD	pcs	aluminum	silver		-
	LC-LIN			Linear connector	pcs	steel	silver		-
	90LC-HOR			90° degree horizontal connector	pcs	steel	silver		-
	90LC-VER			90° degree vertical connector	pcs	steel	silver		-
	AB-PLS-K1			Diffuser for PLS30, RPLS30, PLSD series profiles	1m	polycarbonate UV-st.	clear/prismatic		diffuser, certified UV stabilized material
	AB-PLS-M1			Diffuser for PLS30, RPLS30, PLSD series profiles	1m	polycarbonate UV-st.	frosted/opal		diffuser, certified UV stabilized material
	AB-PLS-K2			Diffuser for PLS30, RPLS30, PLSD series profiles	2m	polycarbonate UV-st.	clear/prismatic		diffuser, certified UV stabilized material
	AB-PLS-M2			Diffuser for PLS30, RPLS30, PLSD series profiles	2m	polycarbonate UV-st.	frosted/opal		diffuser, certified UV stabilized material


	AL-PLW80N-1		Power Line Wide 80 (PLW80N), anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-PLW80N-2		Power Line Wide 80 (PLW80N), anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-PLW80N-3		Power Line Wide 80 (PLW80N), anodized in silver aluminum LED profile	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	LC-PLW80N		Aluminum linear connector for PLW80N LED profile	pcs	aluminum	silver	-
	EC-PLW80N		Aluminum end cap for PLW80N LED profile w/out cable hole	pcs	aluminum	silver	-
	AL-RPLW80-1		Recess Power Line Wide 80 (RPLW80), anodized in silver, aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-RPLW80-2		Recess Power Line Wide 80 (RPLW80), anodized in silver, aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-RPLW80-3		Recess Power Line Wide 80 (RPLW80), anodized in silver, aluminum LED profile	3m	anodized aluminum	silver	no diffuser, need to be choice from the below list
	AL-RPLW80-3RAL		Recess Power Line Wide 80 (RPLW80), powder coat in white RAL9003 LED profile	3m	aluminum	RAL9003	no diffuser, need to be choice from the below list
	MC-RPLW80		Mounting bracket for gypsum ceiling installation for Recess Power Line Wide 80 LED profile	pcs	steel	silver	-
	LC-RPLW80		Aluminum liner connector for RPLW80 LED profile	pcs	aluminum	silver	-
	EC-RPLW80-RAL		Aluminum end cap for RPLW80 LED profile w/out cable hole powder coat in white RAL9003	pcs	aluminum	RAL9003	-
	EC-RPLW80-H1		Aluminum end cap for RPLW80 LED profile w/out cable hole	pcs	aluminum	silver	-
	AL-TRI-1		Alu-Triangle, wall or floor installed 30 degree aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-TRI-2		Alu-Triangle, wall or floor installed 30 degree aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-TRI-H1L		Aluminum end cap for Alu-Triangle, left	pcs	aluminum	silver	-
	EC-TRI-H1R		Aluminum end cap for Alu-Triangle, right	pcs	aluminum	silver	-
	MC-TRI		Mounting bracket for Alu-Triangle profile	pcs	steel	silver	-
	GA-TRI		Isolation silicone gasket for aluminum end cap for Alu-Triangle LED profile	pcs	silicone	black	-
	AB-PLW80-K1		Diffuser for PLW80N, RPLW80, Alu-Triangle series profiles	1m	polycarbonate UV-st.	clear/prismatic	diffuser, certified UV stabilized material
	AB-PLW80-M1		Diffuser for PLW80N, RPLW80, Alu-Triangle series profiles	1m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-PLW80-K2		Diffuser for PLW80N, RPLW80, Alu-Triangle series profiles	2m	polycarbonate UV-st.	clear/prismatic	diffuser, certified UV stabilized material
	AB-PLW80-M2		Diffuser for PLW80N, RPLW80, Alu-Triangle series profiles	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-PLW80-M3		Diffuser for PLW80N, RPLW80, Alu-Triangle series profiles	3m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AL-SLW20-1		Slim Line Wide 20 (SLW20), anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-SLW20-2		Slim Line Wide 20 (SLW20), anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-SLW20-3		Slim Line Wide 20 (SLW20), anodized in silver aluminum LED profile	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-SLW20		Aluminum end cap for SLW20 LED profile w/out cable hole	pcs	aluminum	silver	-
	MC-SLW20		Mounting bracket for SLW20 LED profile	pcs	ABS	grey	-
	MC-SLW20-STEEL		Spring steel mounting bracket for SLW20 LED profile	pcs	spring steel	silver	-
	AL-RSLW20-1		Recess Slim Line Wide 20 (RSLW20), anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-RSLW20-2		Recess Slim Line Wide 20 (RSLW20), anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-RSLW20-3		Recess Slim Line Wide 20 (RSLW20), anodized in silver aluminum LED profile	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-RSLW20		Aluminum end cap for RSLW20 LED profile w/out cable hole	pcs	aluminum	silver	-
	MC-RSLW20		Mounting bracket for gypsum ceiling for RSLW20 profile	pcs	steel	silver	-
	AL-SLW20B-1		Wall installed Led profile Slim Line Wide 20B (SLW20B), anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-SLW20B-2		Wall installed Led profile Slim Line Wide 20B (SLW20B), anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-BAS-1		Aluminum mounting base (small) for wall installed SLW20B LED Lamp	1m	anodized aluminum	silver	-
	AL-BAS-2		Aluminum mounting base (small) for wall installed SLW20B LED Lamp	2m	anodized aluminum	silver	-
	EC-BAS		Aluminum end cap for (small) mounting base	pcs	aluminum	silver	-
	EC-SLW20B-R		Aluminum end cap for SLW20B w/out cable hole (right)	pcs	aluminum	silver	-
EC-SLW20B-L		Aluminum end cap for SLW20B w/out cable hole (left)	pcs	aluminum	silver	-	
	AB-SLW20-K1		Diffuser for SLW20, RSLW20, SLW20B series profiles,	1m	polycarbonate UV-st.	clear/prismatic	diffuser, certified UV stabilized material
	AB-SLW20-M1		Diffuser for SLW20, RSLW20, SLW20B series profiles,	1m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-SLW20-K2		Diffuser for SLW20, RSLW20, SLW20B series profiles,	2m	polycarbonate UV-st.	clear/prismatic	diffuser, certified UV stabilized material
	AB-SLW20-M2		Diffuser for SLW20, RSLW20, SLW20B series profiles,	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-SLW20-K3		Diffuser for SLW20, RSLW20, SLW20B series profiles,	3m	polycarbonate UV-st.	clear/prismatic	diffuser, certified UV stabilized material
	AB-SLW20-M3		Diffuser for SLW20, RSLW20, SLW20B series profiles,	3m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material

	AL-SLW10-1		Triple row Led stripe profile, SLW10; (10x44,8mm), anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-SLW10-2		Triple row Led stripe profile, SLW10; (10x44,8mm), anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-SLW10-H1		Aluminum end cap for SLW10 LED profile, w/out cable hole	pcs	aluminum	silver	-
	EC-SLW10-H2		Aluminum end cap for SLW10 LED profile, with cable hole	pcs	aluminum	silver	-
	AB-SLW10-K1		Diffuser for SLW10 profile	1m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-SLW10-M1		Diffuser for SLW10 profile	1m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-SLW10-50M1		Diffuser for SLW10 profile	1m	polycarbonate UV-st.	50% frosted/opal	diffuser, certified UV stabilized material
	AB-SLW10-K2		Diffuser for SLW10 profile	2m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-SLW10-M2		Diffuser for SLW10 profile	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-SLW10-50M2		Diffuser for SLW10 profile	2m	polycarbonate UV-st.	50% frosted/opal	diffuser, certified UV stabilized material
	AL-SQ-1		180' degree light out, Alu-Sqere (24,6x20mm), aluminum LED profiles	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-SQ-2		180' degree light out, Alu-Sqere (24,6x20mm), aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-SQ-H1		Aluminum end cap for Alu-Square profile, w/out cable hole	pcs	aluminum	silver	-
	AB-SQ-M1		Diffuser for Alu-Square profiles,	1m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-SQ-M2		Diffuser for Alu-Square profiles,	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AL-RO-1		ALU-Round, anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-RO-1.2BLACK		ALU-Round, anodized in black aluminum LED profile, 1200mm long	1.2m	anodized aluminum	black	no diffuser, need to be chosen from below list
	AL-RO-2	CHLAP5	ALU-Round, anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-RO-3		ALU-Round, anodized in silver aluminum LED profile	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-R2		ABS end cap for ALU-Round LED profile with cable hole	pcs	ABS	grey	promotion, valid till the end of the stock
	EC-R3	CHLAPC5A	Aluminum end cap for ALU-Round LED profile w/out cable hole	pcs	aluminum	silver	-
	EC-R4		Aluminum end cap for ALU-Round LED profile with cable hole	pcs	aluminum	silver	-
	MC-R1		ABS mounting bracket for ALU-Round LED profile (0-180 degree/adj.)	pcs	ABS	grey	-
	MC-R2	CHLAPB5	Closet instalation mounting bracket for ALU-Round LED profile, anti-brake material	pcs	anti brake material	grey	-
	MC-R3	CHLAPB5S	Intermediate closet support arm for Alu-Round LED profile	pcs	anodized aluminum	silver	-
	LC-RO		Aluminum linear connector for ALU-Round, compatible with Reutlinger cable suspension	pcs	aluminum	silver	-
	MC-RO-WA	CHLAPB5W	Wall arm for Alu-Round LED profile	pcs	anodized aluminum	silver	-
	MC-RO-AA	CHLAPB5L	Art Lighting arm for Alu-Round LED profile	pcs	anodized aluminum	silver	-
	MC-CAB-2		Steel suspension cable for linear connector/alu-round LED profile, set of two	set	aluminum/steel	silver	set of two
	TAPE-RO-WA		Supply cable hiding tape for Wall arm	pcs	PCV	silver	-
	TAPE-RO-AA		Supply cable hiding tape for Art Lighting arm	pcs	PCV	silver	-
	AB-RO-K1		Diffuser for Alu-Round profile,	1m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-RO-M1		Diffuser for Alu-Round profile,	1m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-RO-K2	CHLAP5	Diffuser for Alu-Round profile,	2m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-RO-M2		Diffuser for Alu-Round profile,	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-RO-K3		Diffuser for Alu-Round profile,	3m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-RO-M3		Diffuser for Alu-Round profile,	3m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-RO-LK1		30 degree optic lens for Alu-Round profile, transparent, 1m long	1m	PMMA UV-st.	transparent	diffuser, certified UV stabilized material
	AB-RO-LK2		30 degree optic lens for Alu-Round profile, transparent, 2m long	2m	PMMA UV-st.	transparent	diffuser, certified UV stabilized material

	AL-PL-1		PowerLine 35mm, anodized in silver, aluminum LED profile, suitable for ABS end caps	1m	anodized aluminum	silver	no diffuser, need to be choice from the below list
	AL-PL-2	CHLAP10	PowerLine 35mm, anodized in silver, aluminum LED profile, suitable for ABS end caps	2m	anodized aluminum	silver	no diffuser, need to be choice from the below list
	AL-MAS-3		Blank aluminum diffuser for hiding power supply, suitable for PL35, RPL35, PLA, RPLA, SPL profiles	3m	anodized aluminum	silver	blank aluminum diffuser
	EC-PL1	CHLAPC10	ABS end cap for PowerLine 35mm w/out holding ears	pcs	ABS	grey	-
	EC-PL1RAL		ABS end cap for PowerLine 35mm w/out holding ears in white RAL9003	pcs	ABS	RAL9003	-
	EC-PL2		ABS end cap for PowerLine 35 with holding screw ears	pcs	ABS	grey	-
	AL-PLA-1		PowerLine 35mm, anodized in silver, aluminum LED profile, suitable for aluminum end caps	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-PLA-2		PowerLine 35mm, anodized in silver, aluminum LED profile, suitable for aluminum end caps	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-PLA-3		PowerLine 35mm, anodized in silver, aluminum LED profile, suitable for aluminum end caps	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-MAS-3		Blank aluminum diffuser for hiding power supply, suitable for PL35, RPL35, PLA, RPLA, SPL profiles	3m	anodized aluminum	silver	blank aluminum diffuser
	LC-PLA		Aluminum linear connector for (PLA) LED profile	pcs	aluminum	silver	-
	90LC-PLA		90° degree aluminum connector for (PLA) LED profile	pcs	aluminum	silver	-
	EC-PLA		Aluminum end cap for (PLA) LED profile, w/out cable hole	pcs	aluminum	silver	-
	AL-RPL-1		Recessed PowerLine 35mm, anodized in silver, aluminum LED profile, 1m long unit,	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-RPL-2		Recessed PowerLine 35mm, anodized in silver, aluminum LED profile, 2m long unit,	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-MAS-3		Blank aluminum diffuser for hiding power supply, suitable for PL35, RPL35, PLA, RPLA profiles	3m	anodized aluminum	silver	blank aluminum diffuser
	MC-RPL		Mounting bracket for gypsum ceiling installation for Recess PowerLine 35mm LED profile	pcs	steel	silver	-
	EC-RPL1		ABS end cap for Recessed PowerLine 35mm LED profile w/out cable hole	pcs	ABS	grey	-
	AL-RPLA-1		Recessed PowerLine 35mm, anodized in silver LED profile, suitable for aluminum end caps	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-RPLA-2		Recessed PowerLine 35mm, anodized in silver LED profile, suitable for aluminum end caps	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-RPLA-3		Recessed PowerLine 35mm, anodized in silver LED profile, suitable for aluminum end caps	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-MAS-3		Blank aluminum diffuser for hiding power supply, suitable for PL35, RPL35, PLA, RPLA, SPL profiles	3m	anodized aluminum	silver	blank aluminum diffuser
	AL-RPLA-3RAL		RAL9003 Recessed PowerLine 35mm, RAL9003 LED profile, suitable for aluminum end caps	3m	aluminum	RAL9003	no diffuser, need to be chosen from below list
	AL-MAS-3RAL		RAL9003 blank aluminum diffuser for hiding power supply good for PL35, RPL35, PLA, RPLA, SPL	3m	aluminum	RAL9003	no diffuser, need to be chosen from below list
	LC-RPLA		Aluminum linear connector for (RPLA) LED profile	pcs	aluminum	silver	-
	EC-RPLA		Aluminum end cap for RPLA w/out cable hole	pcs	aluminum	silver	-
	MC-RPLA		Mounting bracket for gypsum ceiling installation for RPLA LED profile	pcs	steel	silver	-
	AL-PL35S-1		Wall installed LED profile, one side light out, PL35S, anodized in silver	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list (x1)
	AL-PL35S-2		Wall installed LED profile, one side light out, PL35S, anodized in silver	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list (x1)
	EC-PL35S-L		Aluminum end cap for PL35S LED profile w/out cable hole, left	pcs	aluminum	silver	-
	EC-PL35S-R		Aluminum end cap for PL35S LED profile w/out cable hole, right	pcs	aluminum	silver	-
	AL-BA-1		Aluminum hiding/mounting base for PLS35S LED profile	1m	anodized aluminum	silver	-
	AL-BA-2		Aluminum hiding/mounting base for PLS35S LED profile	2m	anodized aluminum	silver	-
	EC-BA-H1		Aluminum end cap for hiding/mounting base (BA)	pcs	aluminum	silver	-
	AL-BAS-1		Aluminum mounting base (small) for wall installed SLW20B LED Lamp	1m	anodized aluminum	silver	-
	AL-BAS-2		Aluminum mounting base (small) for wall installed SLW20B LED Lamp	2m	anodized aluminum	silver	-
	EC-BAS		Aluminum end cap for (small) mounting base	pcs	aluminum	silver	-
	AL-PL35D-1		Wall installed LED profile, two side light out; PL35D, anodized in silver	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list (x2)
	AL-PL35D-2		Wall installed LED profile, two side light out; PL35D, anodized in silver	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list (x2)
	EC-PL35D		Aluminum end cap for PL35D LED profile w/out cable hole	1m	aluminum	silver	-
	AL-BA-1		Aluminum hiding/mounting base for PLS35S LED profile	1m	anodized aluminum	silver	-
	AL-BA-2		Aluminum hiding/mounting base for PLS35S LED profile	2m	anodized aluminum	silver	-
	EC-BA-H1		Aluminum end cap for hiding/mounting base (BA)	pcs	aluminum	silver	-
	AL-BAS-1		Aluminum mounting base (small) for wall installed SLW20B LED Lamp	1m	anodized aluminum	silver	-
	AL-BAS-2		Aluminum mounting base (small) for wall installed SLW20B LED Lamp	2m	anodized aluminum	silver	-
	EC-BAS		Aluminum end cap for (small) mounting base	pcs	aluminum	silver	-
	AL-SPL-1		Power Line 35 smooth, anodized in silver aluminum led profile 35x35mm	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-SPL-2		Power Line 35 smooth, anodized in silver aluminum led profile 35x35mm	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-SPL-3		Power Line 35 smooth, anodized in silver aluminum led profile 35x35mm	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-MAS-3		Blank aluminum diffuser for hiding power supply, good for PL35, RPL35, PLA, RPLA, SPL	3m	anodized aluminum	silver	blank aluminum diffuser
	AL-SPL-3RAL		RAL9003 Power Line 35 smooth, powder coat painted for RAL9003 led profile 35x35mm	3m	aluminum	RAL9003	no diffuser, need to be chosen from below list
	AL-MAS-3RAL		RAL9003 blank aluminum diffuser for hiding power supply good for PL35, RPL35, PLA, RPLA, SPL	3m	aluminum	RAL9003	no diffuser, need to be chosen from below list
	EC-SPL-RAL		Aluminum end cap for SPL led profile in white RAL9003 without cable hole	pcs	aluminum	RAL9003	-
	EC-SPL		Aluminum end cap for SPL led profile without cable hole	pcs	aluminum	silver	-
	LC-LIN		Linear connector	pcs	steel	silver	-
	90LC-HOR		90° degree horizontal connector	pcs	steel	silver	-
	MC-SPL		Gypsum ceiling Trimless installation mounting bracket for SPL led profile	pcs	galvanized steel	silver	gypsum ceiling trimless installation accessories
	MC-SPL-MAG		Gypsum ceiling Trimless installation magnetic mounting bracket (set) for SPL led profile	set	galvanized steel	silver	incl. magnetic pads (1), mounting bracket(1), security cable(1)
	MC-LOCK		Security steel cable with lock for trimless installed mounting brackets	pcs	steel cable	silver	security cable (1) attached to the bracket
	MC-KEY-SPL		Positioning key for trimless base installation for SPL led profile	pcs	galvanized steel	silver	tool to positioning the installation base, need at list two per m
	MC-CAB-2		Steel suspension cable for linear connector/alu-round LED profile, set of two	set	aluminum/steel	silver	set of two
	AB-PL-K1		Diffuser for PL, PLA, RPL, RPLA, PL35S, PL35D, SPL series profiles,	1m	polycarbonate UV-st.	clear/prismatic	diffuser, certified UV stabilized material
	AB-PL-M1		Diffuser for PL, PLA, RPL, RPLA, PL35S, PL35D, SPL series profiles,	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-PL-K2	CHLAP10	Diffuser for PL, PLA, RPL, RPLA, PL35S, PL35D, SPL series profiles,	2m	polycarbonate UV-st.	clear/prismatic	diffuser, certified UV stabilized material
	AB-PL-M2		Diffuser for PL, PLA, RPL, RPLA, PL35S, PL35D, SPL series profiles,	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-PL-K3		Diffuser for PL, PLA, RPL, RPLA, PL35S, PL35D, SPL series profiles,	3m	polycarbonate UV-st.	clear/prismatic	diffuser, certified UV stabilized material
	AB-PL-M3		Diffuser for PL, PLA, RPL, RPLA, PL35S, PL35D, SPL series profiles,	3m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-PR1-K2		Prismatic anti glare diffuser, for PL, PLA, RPL, RPLA, PL35S, PL35D, SPL series profiles,	2m	polycarbonate UV-st.	prismatic/clear	high light transmission, prismatic pattern, anti glare
	AB-PR1-M2		Prismatic anti glare diffuser, for PL, PLA, RPL, RPLA, PL35S, PL35D, SPL series profiles,	2m	polycarbonate UV-st.	prismatic/opal	high light transmission, prismatic pattern, anti glare
AB-PR1-K3		Prismatic anti glare diffuser, for PL, PLA, RPL, RPLA, PL35S, PL35D, SPL series profiles,	3m	polycarbonate UV-st.	prismatic/clear	high light transmission, prismatic pattern, anti glare	
AB-PR1-M3		Prismatic anti glare diffuser, for PL, PLA, RPL, RPLA, PL35S, PL35D, SPL series profiles,	3m	polycarbonate UV-st.	prismatic/opal	high light transmission, prismatic pattern, anti glare	

	AL-PL55-2		Surface, trimless, pendant installed Power Line 55 aluminum led profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-PL55-3		Surface, trimless, pendant installed Power Line 55 aluminum led profile	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-PL55		Aluminum end cap for profile PL55 without cable hole	pcs	aluminum	silver	-
	LC-LIN		Linear connector	pcs	steel	silver	-
	90LC-HOR		90' degree horizontal connector	pcs	steel	silver	-
	90LC-VER		90' degree vertical connector	pcs	steel	silver	-
	MC-PL55		Gypsum ceiling Trimless installation mounting bracket for PL55 led profile	pcs	galvanized steel	silver	gypsum ceiling trimless installation accessories
	MC-PL55-MAG		Gypsum ceiling Trimless installation magnetic mounting bracket (set) for PL55 led profile	pcs	galvanized steel	silver	incl. magnetic pads (2), mounting bracket(1), security cable(1)
	MC-LOCK		Security steel cable with lock for trimless installed mounting brackets	set	steel cable	silver	security cable (1) attached to the bracket
	MC-KEY-PL55		Positioning key for trimless base installation for PL55 led profile	pcs	galvanized steel	silver	tool to positioning the installation base, need at list 2 per m
MC-CAB-2		Steel suspension cable for linear connector/alu-round LED profile, set of two	set	aluminum/steel	silver	set of two	
	AB-PL55-M2		Diffuser for PL55, satin opal finish for PL55	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-PL55-M3		Diffuser for PL55, satin opal finish for PL55	3m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-PR155-K2		Prismatic "honey comb effect", antiglare diffuser for PL55 led profile	2m	polycarbonate UV-st.	prismatic/clear	high light transmission, prismatic pattern, antiglare
	AB-PR155-M2		Prismatic "honey comb effect", antiglare diffuser for PL55 led profile	2m	polycarbonate UV-st.	prismatic/opal	high light transmission, prismatic pattern, antiglare
	AB-PR155-K3		Prismatic "honey comb effect", antiglare diffuser for PL55 led profile	3m	polycarbonate UV-st.	prismatic/clear	high light transmission, prismatic pattern, antiglare
	AB-PR155-M3		Prismatic "honey comb effect", antiglare diffuser for PL55 led profile	3m	polycarbonate UV-st.	prismatic/opal	high light transmission, prismatic pattern, antiglare
	AL-BA-TLESS-2		Gypsum ceiling installation base profile for the trimless profile PL55, SPL	2	anodized aluminum	silver	-
	AL-BA-TLESS-3		Gypsum ceiling installation base profile for the trimless profile PL55, SPL	3	anodized aluminum	silver	-
	AL-WLL-1		Wall installed LED profile, two side light out, anodized in silver	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-WLL-2		Wall installed LED profile, two side light out, anodized in silver	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-WLL-H1-L		Aluminum end cap for Wall LED Lamp w/out cable hole, left	pcs	aluminum	silver	-
	EC-WLL-H1-R		Aluminum end cap for Wall LED Lamp w/out cable hole, right	pcs	aluminum	silver	-
	AB-SL-K1		Top diffuser for Wall LED Lamp, SL series	1m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-SL-M1		Top diffuser for Wall LED Lamp, SL series	1m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-SL-K2		Top diffuser for Wall LED Lamp, SL series	2m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-SL-M2		Top diffuser for Wall LED Lamp, SL series	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-SLW-K1		Bottom diffuser for Wall LED Lamp, SLW series	1m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-SLW-M1		Bottom diffuser for Wall LED Lamp, SLW series	1m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
AB-SLW-K2		Bottom diffuser for Wall LED Lamp, SLW series	2m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material	
AB-SLW-M2		Bottom diffuser for Wall LED Lamp, SLW series	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material	
	AL-BB-2		Baseboard lighting profile, base for Alu-Swiss profile, anodized in silver	2m	anodized aluminum	silver	no diffuser, no lighting profile, need to be chosen from below
	AL-BB-3		Baseboard lighting profile, base for Alu-Swiss profile, anodized in silver	3m	anodized aluminum	silver	no diffuser, no lighting profile, need to be chosen from below
	AL-RBB-3RAL		Baseboard lighting profile, base for Alu-Swiss profile, powder coat in RAL9003 (white)	3m	aluminum	RAL9003	no diffuser, no lighting profile, need to be chosen from below
	AL-SS-2		Lighting profile Alu-Swiss for 6-8mm LED stripe, anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-SS-3		Lighting profile Alu-Swiss for 6-8mm LED stripe, anodized in silver aluminum LED profile	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AB-SS-K2		Diffuser for Alu-Swiss profile,	2m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-SS-M2		Diffuser for Alu-Swiss profile,	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-SS-K3		Diffuser for Alu-Swiss profile,	3m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
AB-SS-M3		Diffuser for Alu-Swiss profile,	3m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material	
	AL-WLA-1		Alu-Wall US, anodized in silver aluminum LED profile	1m	anodized aluminum	silver	no diffuser, need to be choice from the below list
	AL-WLA-2		Alu-Wall US, anodized in silver aluminum LED profile	2m	anodized aluminum	silver	no diffuser, need to be choice from the below list
	EC-WLA-R		ABS end cap for ALU-Wall US, with cable hole, right	pcs	ABS	grey	-
	EC-WLA-L		ABS end cap for ALU-Wall US, with cable hole, left	pcs	ABS	grey	-
	AB-WLA-K2		Diffuser for Alu-Wall US profile,	2m	polycarbonate UV-st.	clear/transparent	diffuser, certified UV stabilized material
	AB-WLA-M2		Diffuser for Alu-Wall US profile,	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AL-GLS-2		Hand rail profile for glass barriers & edge LED lighting, glass tickness 17,5mm	2m	anodized aluminum	silver	no diffuser, please add isolation silicone gasket, obligatory
	AL-GLS-3		Hand rail profile for glass barriers & edge LED lighting, glass tickness 17,5mm	3m	anodized aluminum	silver	no diffuser, please add isolation silicone gasket, obligatory
	AL-GLB-2		Hand rail profile for glass barriers & edge LED lighting, glass tickness 17,5mm	2m	anodized aluminum	black	no diffuser, please add isolation silicone gasket, obligatory
	AL-GLB-3		Hand rail profile for glass barriers & edge LED lighting, glass tickness 17,5mm	3m	anodized aluminum	black	no diffuser, please add isolation silicone gasket, obligatory
	GA-TRA1		Isolation silicone gasket (transparent) for fitting the profile with glass	1m	anodized aluminum	silicone	transparent, light transmitting silicone gasket

	AL-ST2-1		Alu-Stair 2 profile, with light directed on the stair	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-ST2-2		Alu-Stair 2 profile, with light directed on the stair	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-ST2-3		Alu-Stair 2 profile, with light directed on the stair	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-ST2-H1-L		Aluminum end cap for Alu-Stair 2, LED profile, Left	pcs	aluminum	silver	-
	EC-ST2-H1-R		Aluminum end cap for Alu-Stair 2, LED profile, Right	pcs	aluminum	silver	-
	AB-STR2-ACM1		Acrylic diffuser for top of STAIR2 series profiles, satin mat finish	1m	PMMA	satin matt	illuminated top diffuser, (can be replaced by anti slip rubber)
	AB-STR2-ACM2		Acrylic diffuser for STAIR2 series profiles, satin mat finish	2m	PMMA	satin matt	illuminated top diffuser, (can be replaced by anti slip rubber)
	AB-STR2-ACM3		Acrylic diffuser for STAIR2 series profiles, satin mat finish	3m	PMMA	satin matt	illuminated top diffuser, (can be replaced by anti slip rubber)
	RU-STR2-1		Anti slip rubber, gery color for STAIR2 series profiles	1m	rubber	grey	anti slip rubber
	RU-STR2-2		Anti slip rubber, gery color for STAIR2 series profiles	2m	rubber	grey	anti slip rubber
	RU-STR2-3		Anti slip rubber, gery color for STAIR2 series profiles	3m	rubber	grey	anti slip rubber
	AB-STR2-M1		Vertical (front) diffuser for STAIR2 series profiles, frosted	1m	polycarbonate UV-st.	frosted/opal	Vertical (front) diffuser, obligatory
	AB-STR2-M2		Vertical (front) diffuser for STAIR2 series profiles, frosted	2m	polycarbonate UV-st.	frosted/opal	Vertical (front) diffuser, obligatory
	AB-STR2-M3		Vertical (front) diffuser for STAIR2 series profiles, frosted	3m	polycarbonate UV-st.	frosted/opal	Vertical (front) diffuser, obligatory
	AL-ST2C-1		Alu-Stair 2 carpet profile, with light directed down on the stair	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-ST2C-2		Alu-Stair 2 carpet profile, with light directed down on the stair	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-ST2C-3		Alu-Stair 2 carpet profile, with light directed down on the stair	3m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-ST2C-H1-L		Aluminum end cap for Alu-Stair 2 carpet, LED profile, Left	pcs	aluminum	silver	-
	EC-ST2C-H1-R		Aluminum end cap for Alu-Stair 2 carpet, LED profile, Right	pcs	aluminum	silver	-
	AB-STR2-ACM1		Acrylic diffuser for top of STAIR2 series profiles, satin mat finish	1m	PMMA	satin matt	illuminated top diffuser, (can be replaced by anti slip rubber)
	AB-STR2-ACM2		Acrylic diffuser for STAIR2 series profiles, satin mat finish	2m	PMMA	satin matt	illuminated top diffuser, (can be replaced by anti slip rubber)
	AB-STR2-ACM3		Acrylic diffuser for STAIR2 series profiles, satin mat finish	3m	PMMA	satin matt	illuminated top diffuser, (can be replaced by anti slip rubber)
	RU-STR2-1		Anti slip rubber, gery color for STAIR2 series profiles	1m	rubber	grey	anti slip rubber
	RU-STR2-2		Anti slip rubber, gery color for STAIR2 series profiles	2m	rubber	grey	anti slip rubber
	RU-STR2-3		Anti slip rubber, gery color for STAIR2 series profiles	3m	rubber	grey	anti slip rubber
	AB-STR2-M1		Vertical (front) diffuser for STAIR2 series profiles, frosted	1m	polycarbonate UV-st.	frosted/opal	Vertical (front) diffuser, obligatory
	AB-STR2-M2		Vertical (front) diffuser for STAIR2 series profiles, frosted	2m	polycarbonate UV-st.	frosted/opal	Vertical (front) diffuser, obligatory
	AB-STR2-M3		Vertical (front) diffuser for STAIR2 series profiles, frosted	3m	polycarbonate UV-st.	frosted/opal	Vertical (front) diffuser, obligatory
	AL-ASY-1		Alu-Asymetric LED profile	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-ASY-2		Alu-Asymetric LED profile	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-ASY-L		Aluminum end caps for Alu-Asymetric LED profile, left	pcs	aluminum	silver	-
	EC-ASY-R		Aluminum end caps for Alu-Asymetric LED profile, right	pcs	aluminum	silver	-
	AB-LASY-K1		Asymetric optic lens for Alu-Asymetric LED profile	1m	PMMA, UV st.	clear	optic lens, certified UV stabilized material
	AB-LASY-M1		Asymetric optic lens for Alu-Asymetric LED profile	1m	PMMA, UV-st.	frosted/opal	optic lens, certified UV stabilized material
	AB-LASY-K2		Asymetric optic lens for Alu-Asymetric LED profile	2m	PMMA, UV st.	clear	optic lens, certified UV stabilized material
	AB-LASY-M2		Asymetric optic lens for Alu-Asymetric LED profile	2m	PMMA, UV-st.	frosted/opal	optic lens, certified UV stabilized material
	AL-EPOXY-2		Alu-Epoxy LED profile, to fill up with epoxy raisen or with PMMA diffuser	2m	anodized aluminum	silver	no diffuser, need to be fill up with epoxy 2-3mm above LED
	AL-EPOXY-B2		Alu-Epoxy LED profile, to fill up with epoxy raisen or with PMMA diffuser	2m	anodized aluminum	black	no diffuser, need to be fill up with epoxy 2-3mm above LED
	EC-EP-RAISEN-H1		Aluminum end cap for Alu-Epoxy for raisen, w/out cable hole	pcs	aluminum	silver/black	-
	EC-EP-PMMA-H1		Aluminum end cap for Alu-Epoxy for PMMA diffuser, w/out cable hole	pcs	aluminum	silver/black	-
	AB-EP-K2		PMMA diffuser for Alu-Epoxy LED profile	2m	PMMA, UV-st.	clear	PMMA diffuser, certyfiyed UV stabilized material
	AB-EP-M2		PMMA diffuser for Alu-Epoxy LED profile	2m	PMMA, UV-st.	frosted/opal	PMMA diffuser, certyfiyed UV stabilized material
	MC-CAB-2		Steel suspension cable for linear connector/alu-round LED profile, set of two	set	aluminum/steel	silver	set of two
	AL-PLW116-1		Power Line Wide 116 (PLW116), anodized in silver aluminum LED profile 2,55kg/m	1m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	AL-PLW116-2		Power Line Wide 116 (PLW116), anodized in silver aluminum LED profile 2,55kg/m	2m	anodized aluminum	silver	no diffuser, need to be chosen from below list
	EC-PLW116		Aluminum end cap for PLW116 LED profile w/out cable hole	pcs	aluminum	silver	-
	LC-PLW116		Aluminum linear connector for PLW116 LED profile	pcs	aluminum	silver	-
	AL-RPLW116-2		160 degree light distribution RPLW116, anodized in silver, aluminum led profile	2m	aluminum	silver	no diffuser, need to be chosen from below list
	AL-RRPLW116-2		160 degree light distribution RPLW116, in white RAL9003 aluminum led profile	2m	aluminum	RAL9003	no diffuser, need to be chosen from below list
	EC-RPLW116		Aluminum end cap for RPLW116 LED profile w/out cable hole	pcs	aluminum	silver	-
	EC-RRPLW116		Aluminum end cap for RPLW116 LED profile w/out cable hole in white RAL9003	pcs	aluminum	RAL9003	-
	LC-LIN		Aluminum linear connector for RPLW116 LED profile	pcs	steel	silver	-
	MC-RPLW116		Mounting bracket for gypsum ceiling installation for Recess PowerLine Wide 116mm LED profile	pcs	galvanized steel	silver	-

	AL-SPLW116-2			PLW 116mm smooth LEDs DOT's FREE LED profile	2m	anodized aluminum	silver	no diffuser, need to be choice from the below list
	AL-SPLW116-3			PLW 116mm smooth LEDs DOT's FREE LED profile	3m	anodized aluminum	silver	no diffuser, need to be choice from the below list
	LC-LIN			Linear connector	pcs	steel	silver	-
	90LC-HOR			90' degree horizontal connector	pcs	steel	silver	-
	90LC-VER			90' degree vertical connector	pcs	steel	silver	-
	MC-SPLW116			Gypsum ceiling Trimless installation mounting bracket for PL55 led profile	pcs	galvanized steel	silver	gypsum ceiling trimless installation accessories
	MC-SPLW116-MAG			Gypsum ceiling Trimless installation magnetic mounting bracket (set) for PL55 led profile	set	galvanized steel	silver	incl. magnetic pads (2), mounting bracket(1), security cable(1)
	MC-LOCK			Security steel cable with lock for trimless installed mounting brackets	pcs	steel cable	silver	security cable (1) attached to the bracket
	MC-KEY-SPLW116			Positioning key for trimless base installation for PL55 led profile	pcs	galvanized steel	silver	tool to positioning the installation base, need at list 2 per m
	MC-CAB-2			Steel suspension cable for linear connector/alu-round LED profile, set of two	set	aluminum/steel	silver	set of two
		AB-PLW116-K1			Diffuser for PLW116, RPLW116mm, PLW116 smooth series LED profiles	1m	polycarbonate UV-st.	clear/antiglare
AB-PLW116-M1				Diffuser for PLW116, RPLW116mm, PLW116 smooth series LED profiles	1m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
AB-PLW116-K2				Diffuser for PLW116, RPLW116mm, PLW116 smooth series LED profiles	2m	polycarbonate UV-st.	clear/antiglare	diffuser, certified UV stabilized material
AB-PLW116-M2				Diffuser for PLW116, RPLW116mm, PLW116 smooth series LED profiles	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
AB-PLW116-K3				Diffuser for PLW116, RPLW116mm, PLW116 smooth series LED profiles	3m	polycarbonate UV-st.	clear/antiglare	diffuser, certified UV stabilized material
AB-PLW116-M3				Diffuser for PLW116, RPLW116mm, PLW116 smooth series LED profiles	3m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
SWISS 20	AL-SS20-2			Surface, trimless, pendant installed SWISS 20 aluminum led profile	2m	anodized aluminum	silver	no diffuser, need to be choice from the below list
	AL-SS20-3			Surface, trimless, pendant installed SWISS 20 aluminum led profile	3m	anodized aluminum	silver	no diffuser, need to be choice from the below list
	LC-LIN			Linear connector	pcs	steel	silver	-
	90LC-HOR			90' degree horizontal connector	pcs	steel	silver	-
	90LC-VER			90' degree vertical connector	pcs	steel	silver	-
	EC-SS20-H1			Aluminum end caps for profile SWISS 20 without cable hole	pcs	aluminum	silver	-
	MC-SS-BAS-2			Fixation base forAlu-Swiss, Alu-Swiss 20 LED profile	2m	polycarbonate	grey	-
	MC-SS-BAS-3			Fixation base forAlu-Swiss, Alu-Swiss 20 LED profile	3m	polycarbonate	grey	-
	MC-CAB-2			Steel suspension cable for linear connector/alu-round LED profile, set of two	set	aluminum/steel	silver	set of two
	AB-SS20-M2			walk over safe diffuser for ALU-SWISS 20 LED profile	2m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-SS20-K2			walk over safe diffuser for ALU-SWISS 20 LED profile	2m	polycarbonate UV-st.	clear	diffuser, certified UV stabilized material
	AB-SS20-M3			walk over safe diffuser for ALU-SWISS 20 LED profile	3m	polycarbonate UV-st.	frosted/opal	diffuser, certified UV stabilized material
	AB-SS20-K3			walk over safe diffuser for ALU-SWISS 20 LED profile	3m	polycarbonate UV-st.	clear	diffuser, certified UV stabilized material